TOOLS + EQUIPMENT CATALOGUE 2.0





CDK STONE TILE TOOLS + EQUIPMENT CATALOGUE 2.0

Dear Customer,

We are proud to present the latest edition of our Tile Tools + Equipment catalogue.

Our range of products continues to grow every year and this edition includes some very exciting new products as well as additional technical information to help you get the most out of our whole range.

We are committed to our mission to help our customers develop their ideal projects and businesses, and lead our industry to the highest level of professionalism. We aim to achieve this by providing you with the most comprehensive range of high-quality, value-for-money products coupled with technical knowledge and guidance to optimise your productivity and profitability.

Through our frequent travel to trade exhibitions, product manufacturers and some of world's leading stone processing plants, we will continue to find new products and build our knowledge of processes and technology to help you achieve your ideal business.

Thank you for choosing to be a CDK customer and we hope that we will continue to be the trusted partner you always call first for products, service and advice.

Yours sincerely,

James Woodyatt Joint Managing Director CDK Stone Pty Ltd

CCK





The Diarex® Group is comprised of the following international companies:

CDK Stone Pty Ltd

CDK Stone NZ Ltd
J König GmbH & Co.
G Schmieder GmbH & Co.

GranQuartz L.P.

GranQuartz Canada Inc.

Australia
New Zealand
Germany
Germany

Canada

What is the Diarex Group?

The Diarex Group is an alliance of six companies located in Australia, New Zealand, Germany, USA and Canada.

Our members are internationally recognised as leaders in the natural, engineered and sintered stone fabrication, maintenance and restoration industries. We are committed to finding and developing the best tools and supplies for the stone industry at the most competitive prices.

The Diarex Group collectively employs over 500 people and holds the worlds' largest and most comprehensive inventory of stone working tools and equipment in each country.

CDK STONE Pty Ltd is proud to be a founding member of the Diarex® Group.

THE ONLY GLOBAL STONE TOOL GROUP





SECTIONS PAGES 01 • DIAMOND BLADES 05 - 10 02 • DIAMOND DRILLS 11 - 16 $03 \circ \text{DIAMOND GRINDING TOOLS}$ 17 - 22 04 • COUPLINGS 23 - 24 **05** ∘ CHEMICAL PRODUCTS 25 - 28 06 • CLEANING PRODUCTS 29 - 32 $07 \circ \text{INSTALLATION PRODUCTS}$ 33 - 38 08 • HANDLING EQUIPMENT 39 - 40 $09 \circ \mathsf{FLEX}\,\mathsf{POWER}\,\mathsf{TOOLS}$ 41 - 44

10 • PORTABLE TILE SAWS

11 • LARGE FORMAT TILE TOOLS

13 • GENERAL CONSUMABLES

12 • PERSONAL PROTECTIVE EQUIPMENT

DISCLAIMER: All information products contained in the CDK Stone Tile Tools Catalogue 2.0 ©2019 are correct at the time of printing. All purchases are subject to CDK Stone Pty Ltd's standard terms and conditions. Errors and omissions excepted.

45 - 46


47 - 50

51 - 54

55 - 56



SECTION ONE DIAMOND BLADES



DIAREX® ULTRA THIN Turbo Blade

The original Diarex Ultra Thin blade for fast, clean cutting of Porcelain, Granite, Marble and Ceramic tiles.
• 7mm x 1.4mm segment

Size	Bore	Code
105mm	22.2mm	DBT105UT
115mm	22.2mm	DBT115UT
125mm	22.2mm	DBT125UT
180mm	30mm	DBT180UT
200mm	30mm	DBT200UT



DIAREX® VIPER Turbo Blade

Premium quality Diarex blade for fast, clean cutting of Porcelain, Granite, Marble and Ceramic tiles.
Especially suitable for fine precision cuts in harder to process material.

• 10mm x 1.4mm segment ensures longer life

Size	Bore	Code
105mm	22.2mm	DBT105VIPER
125mm	22.2mm	DBT125VIPER



DIAREX® STINGER Ultra Thin Turbo Blade

The new standard of high quality Diarex blades for cutting Porcelain, Marble, Engineered Stone and UCS.

• New generation 10mm x 1.4mm segment ensures longer life & segment strength

Size	Bore	Code
105mm	22.2mm	DBT105US
125mm	22.2mm	DBT125US



DIAREX® EMS Electroplated Blade

The pinnacle of Diarex cutting blades.
Exceptional performance on Natural Stone, Porcelain,
UCS and Engineered surfaces.

Side protection allows for cleaner, faster cuts

Size	Bore	Code
105mm	22.2mm	DB105EMS
125mm	22.2mm	DB125EMS



DIAREX® DTB Dry Rim Blade

Premium quality blade for cutting of Granite, Marble, Engineered Stone and Ceramic tiles.

Size	Bore	Code
105mm	22.2mm	DBR105DTB
125mm	22.2mm	DBR125DTB



DIAREX® ED Electroplated Blade

High quality blade for cutting Marble and Ceramics.

Size	Bore	Code
125mm	22.2mm	DBR125DED



DIAREX® RUSH Laser Segmented Blade

Premium quality blade for fast, aggressive cutting of Granite and Engineered Stone.
Suits Flex CS60 wet saw.

Size	Bore	Code
150mm	22.2mm	DBL150DRU
174mm	22.2mm	DBL170DRU



DIAREX® ED Vanity Blade

Premium quality combination blade for cutting and grinding Marble. M14 flange.

Size	Bore	Code
125mm	22.2mm	DBV125DED



MONTOLIT DNA EVO3

A super-professional continuous rim blade for wet-cutting Porcelain and other Hard Ceramics.

Size	Bore	Code
100mm	22.2mm	DBT100CGX
125mm	22.2mm	DBT125CGX



MONTOLIT Mosaic Cut

Premium quality blade for Natural Stone and Glass Mosaic.

Size	Bore	Code
125mm	22.2mm	DBR125CM



MONTOLIT Turmont

Premium quality blade for wet-cutting Porcelain and other Hard Ceramics.

Size	Bore	Code
85mm	22.2mm	DBT085TCS



MONTOLIT Turbo DNA EVO3

Premium quality blade for Granite, Concrete, other Hard Stones and Thick Porcelain.

Size	Bore	Code
115mm	22.2mm	DBT115TXH



MONTOLIT Glass CPV

Premium quality continuous rim blade for Glass Tiles. Low speed clean cut.

Size	Bore	Code
250mm	22.2mm	DBR250CPV





MONTOLIT TutorCut

Maintain accurate linearity and keep the blade on the same line of the tile, resulting in an assisted straight cut free from chipping.

Size	Bore	Code
125mm	22.2mm	TUTORCUT125



DIAREX® ULTRA THIN Turbo Blade

High quality blade for fast, clean cutting of Porcelain, Granite, Marble and Ceramic tiles.

Size	Bore	Code
230mm	30mm	DBT230UT
250mm	30mm	DBT250UT
300mm	30mm	DBT300UT
350mm	30mm	DBT350UT



DIAREX® UCS Portable

Premium quality blade for cutting Sintered Stone surfaces, such as Neolith, on portable saws with manual feed.

Size	Bore	Code
300mm	30mm	DB300PUCS
350mm	30/60mm	DB350PUCS



DIAREX® BLACK LABEL Continuous Rim Blade

Premium quality blade for fast, clean cutting of Porcelain and Ceramic tiles.

Size	Bore	Code
230mm	30mm	DBR230BLC
250mm	30mm	DBR250BLC
300mm	30mm	DBR300BLC
350mm	30mm	DBR350BLC



DIAREX® TGB Granite

Premium quality blade for wet cutting Granite and hard stone. Suitable for high peripheral speed portable site saws. 12mm segment height.


Size	Bore	Code
250mm	60mm	DB250TGB
300mm	60mm	DB300TGB
350mm	60mm	DB350TGB



LUNA C5 Porcelain

High quality blade for wet-cutting
Porcelain and Ceramics. Also suitable for mitering
for Natural and Engineered Stone.

Size	Bore	Code
300mm	60mm	DB300C5
350mm	60mm	DB350C5



DIAREX® TMK Marble + Delicate Material

Premium quality blade for wet-cutting of Marble and delicate material. Clean and sharp edges with little to no chipping.
Suitable for all types of machines. Segments 40x7mm.

Size	Bore	Code
300mm	60mm	DB300TMK
350mm	60mm	DB350TMK

SAFETY PRECAUTIONS

- Never work without safety guard, safety gloves or safety glasses.
- Never hold the material being cut in your hand, or secure it using your leg or foot during sawing.
- Do not use the blade as a grinding wheel.
- Only use for straight cuts.
- Inspect blade for visible signs of damage before use.
- Do not overheat allow to cool.
- For use with Ceramic, Porcelain, Natural Stone, Engineered Stone + Sintered Stone.
- De sure electrical cord is unplugged during blade installation or removal.
- The blade should be mounted with the arrows pointing in the direction of rotation.
- Make sure that you are using the proper blade specifications for the material being cut.
- Make sure the bore of the saw blade is correctly matched to the diameter of the blade mount.
- If you are unsure on the safety of a diamond blade, do not continue using the blade.

















DIAREX® TGS Core Drills

Wet or Dry use. Hexagonal Shank For Granite and Engineered Stone.

Size	Drilling Depth	Code
20mm	65mm	DCD020TGS
25mm	65mm	DCD025TGS
30mm	65mm	DCD030TGS
32mm	65mm	DCD032TGS
35mm	65mm	DCD035TGS
38mm	65mm	DCD038TGS
45mm	65mm	DCD045TGS
50mm	65mm	DCD050TGS
55mm	65mm	DCD055TGS
60mm	65mm	DCD060TGS
65mm	65mm	DCD065TGS
70mm	65mm	DCD070TGS
80mm	65mm	DCD080TGS
100mm	65mm	DCD100TGS



DIAREX® TGA Core Drills

The blue range of Diarex core drills are excellent for drilling Granite and other hard stone. Wet or Dry use. Laser welded. M14 internal thread.

Size	Drilling Depth	Code
12mm	65mm	DCD012STGA
12mm	120mm	DCD012LTGA
16mm	65mm	DCD016STGA
19mm	65mm	DCD019STGA
25mm	65mm	DCD025STGA
25mm	120mm	DCD025LTGA
30mm	65mm	DCD030STGA
32mm	65mm	DCD032STGA
35mm	65mm	DCD035STGA
38mm	65mm	DCD038STGA
40mm	65mm	DCD040STGA
50mm	65mm	DCD050STGA
60mm	65mm	DCD060STGA
80mm	65mm	DCD080STGA
90mm	65mm	DCD090STGA

DIAREX® ULTRA Vacuum Brazed Core Drills

Premium quality long life drill bit for Porcelain, Ceramic, Marble and Limestone. M14 fitting.

Size	Drilling Depth	Code
6mm	30mm	DCD006VDU
8mm	30mm	DCD008VDU
10mm	30mm	DCD010VDU
12mm	30mm	DCD012VDU
16mm	30mm	DCD016VDU
20mm	30mm	DCD020VDU
25mm	30mm	DCD025VDU
30mm	30mm	DCD030VDU
32mm	30mm	DCD032VDU
35mm	30mm	DCD035VDU
38mm	30mm	DCD038VDU
40mm	30mm	DCD040VDU
45mm	30mm	DCD045VDU
50mm	30mm	DCD050VDU
60mm	30mm	DCD060VDU
70mm	30mm	DCD070VDU
80mm	30mm	DCD080VDU
90mm	30mm	DCD090VDU
100mm	30mm	DCD100VDU
110mm	30mm	DCD110VDU



ADI N-Type Pin Drills

Wet Use. 10mm cylindrical shank For Granite and Engineered Stone.

Size Drilling Depth Cod 4mm 25mm DPD0	
4mm 25mm DPD0	/GN
	4011
5mm 30mm DPD0	5GN
6mm 40mm DPD0	6GN
7mm 40mm DPD0	7GN
8mm 40mm DPD0	8GN
10mm 40mm DPD1	0GN
12mm 40mm DPD1	2GN
14mm 40mm DPD1	4GN
15mm 40mm DPD1	5GN



With the Diarex® Drill Thread Adapter, you can fit any M14 diamond tool to a drill. 9mm Hex Shank to M14 thread



DIAREX® GRINDER Thread Adapter Pack

The Diarex $^{\circ}$ Grinder Thread Apapter Pack allows you fit any M14 diamond tool to an M10 grinder. M10 to M14 thread. 1 x M10 with 1.25mm pitch. 1 x M10 with 1.5mm pitch

Code
TAM14M10KIT







MONTOLIT Milling Bit

Versatile milling bit designed to enlarge, shape and/or round bevel existing holes in Porcelain, Sintered Stone, Granite and Marble.





SETEN RETURN

MONTOLIT Core Drill

Premium quality long life drill bit for Porcelain, Ceramic, Marble and Limestone. M14 fitting.

Size	Drilling Depth	Code
35mm	65mm	FS35

MONTOLIT Core Drill for Sintered Stone

Diamond bit for a smooth, high-end finish for Granite, Ceramic and Sintered Stone.

Size Drilling Dept		Code
35mm	65mm	FT-S35





MONTOLIT Mondrillo Black Kit

Drill Kit for all types of ceramics, Sintered Stone, Porcelain, Terracotta Tiles, Granite and Marble.

	Code
FS	BKIT-IT


MONTOLIT Core Drill Counter Sink

Diamond bit for a smooth, high-end finish.

Very useful to reduce the risk of cracking with standard and large format tiles subjected to tension.

Size	Bore	Code
35mm	M14 Thread	FPS35
35-75mm	M14 Thread	FPS75





TOOLS + EQUIPMENT | MACHINERY | STONE CARE | SERVICE

Contact CDK Stone for the right Tools + Equipment for your job.

www.cdkstone.tools

SECTION 3



ADI Water Swivel Standard

12mm straight shank and R1/2" internal thread.

Code	
CDWSSSR	



ADI Water Swivel Professional

12mm straight shank and R1/2" internal thread.

Code	
CDWSPSR	



DIAREX® Water Swivel

12mm straight shank and 10mm female fitting with grub screws.

Code
CDWSS10



DIAREX® Water Containment Suction Ring

Fixes onto any smooth horizontal surface to create a water bath for wet drilling.

Code
DRXSUC3
DRXSUC4



ADI Pin Drill Adaptor

R1/2" external thread and 10mm bore with grub screws.

Code	
DPDADR	



OPERATING SPEEDS FOR DRILLS

Ø	RPM Range	Ø	RPM Range	Ø	RPM Range
5mm	5700 -12000	35mm	820-1640	80mm	360 - 720
10mm	2850 - 5700	40mm	720 - 1450	90mm	320 - 640
15mm	1900 - 3800	45mm	640 -1280	100mm	290 - 580
20mm	1430 - 2860	50mm	570 - 1150	150mm	190 - 380
25mm	1140 - 2280	60mm	480 - 950	200mm	145 - 290
30mm	950 - 1900	70mm	410 - 820	250mm	115 - 230



SECTION THREE DIAMOND GRINDING TOOLS



DIAREX® UCS **Grinding Cup 115mm**

New technology diamond cup wheel for smoothing and bevelling Ultra Compact Surfaces. Wet or dry use. M14 Thread.

Size	Grade	Code	
115mm	Medium	DCW4UCS1A	



DIAREX® CONCRETE Dry Grinding Cup

Premium Quality cup for removing surface coatings for Flex LD1709, 3206 and similar. 22.2mm bore. Special order only.

Size	Bore	Code
125mm	22.2mm	DCW5FLEXK
180mm	22.2mm	DCW7FLEXK



DIAREX® DMS **Dry Grinding Cup**

Super Agressive flat grinding cup for Concrete and Granite.

Sizo Boro Codo

Size	Биге	Code
105mm	M14 Thread	DCW4DMS0A
Size	Bore	Code
Size 125mm	Bore 22.2mm	Code DCW5DMS0H



DIAREX® PRO Dry Grinding Cup 100mm

Excellent performance on Natural Stone, Engineered Stone, Sintered Stone, Porcelain and large format tiles with very low chipping.

Grade	Colour	Code
30/40		DCW4DP0A
50/60		DCW4DP1A
140/170		DCW4DP2A
200/230		DCW4DP3A







DIAREX® VACUUM BRAZED Grinding Drum M14 25, 50, 75 mm

For Wet or Dry use on Granite and Engineered Stone.

Grade	Code	Grade	
Coarse	DGD025V0A	Coarse	
Medium	DGD025V1A	Medium	
Fine	DGD025V2A	Fine	

Grade	Code
Coarse	DGD050V0A
Medium	DGD050V1A
Fine	DGD050V2A

Grade	Code
Coarse	DGD075V0A
Medium	DGD075V1A
Fine	DGD075V2A



DIAREX® DIAFLEX Polishing Disc 100mm

For wet use on Granite, Marble, Engineered Stone, Glass, Ceramics and Porcelain.

Grade	Colour	Code
60 Metal		DFD100VM0060
120 Metal		DFD100VM0120
200 Metal		DFD100VM0200
400 Metal		DFD100VM0400
800 Metal		DFD100VM0800
1800 Metal		DFD100VM1800
800 Resin		DFD100VR0800
1800 Resin		DFD100VR1800
3000 Resin		DFD100VR3000



DIAREX® DIAFLEX Polishing Disc 125mm

For wet use on Granite, Marble, Engineered Stone, Glass, Ceramics and Porcelain.

Grade	Colour	Code
60 Metal		DFD100VM0060
120 Metal		DFD100VM0120
200 Metal		DFD100VM0200
400 Metal		DFD100VM0400
800 Metal		DFD100VM0800
1800 Metal		DFD100VM1800
800 Resin		DFD100VR0800
1800 Resin		DFD100VR1800
3000 Resin		DFD100VR3000

019



DIAREX® DIAFLEX Hand Pad 90x55mm

For wet hand use on Granite, Marble, Engineered Stone, Glass, Ceramics and Porcelain.

Grade	Colour	Code
60 Metal		DFHP90M0060
120 Metal		DFHP90M0120
200 Metal		DFHP90M0200
400 Metal		DFHP90M0400
800 Metal		DFHP90M0800
1800 Metal		DFHP90M1800
800 Resin		DFHP90R0800
1800 Resin		DFHP90R1800
3000 Resin		DFHP90R3000



DIAREX® DIAMASTER Copper Bond 75mm

For wet use on Granite, Marble and Engineered Stone.


Grade	Code
#30	DM.3V.M030
#50	DM.3V.M050
#70	DM.3V.M070
#120	DM.3V.M120
#200	DM.3V.M200
#400	DM.3V.M400



DIAREX® DIAFLEX Polishing Sheet Self Adhesive 75x75mm

For wet hand use on Granite, Marble, Engineered Stone, Glass, Ceramics and Porcelain.


Grade	Colour	Code
60 Metal		DFS75/75.0
120 Metal		DFS75/75.1
200 Metal		DFS75/75.2
400 Metal		DFS75/75.3
800 Resin		DFS75/75.4
1800 Resin		DFS75/75.5
3000 Resin		DFS75/75.6



DIAREX® DIAMASTER Copper Bond 100mm

For wet use on Granite, Marble and Engineered Stone.

Grade	Code
#30	DM.4V.M030
#50	DM.4V.M050
#70	DM.4V.M070
#120	DM.4V.M120
#200	DM.4V.M200
#400	DM.4V.M400



DIAREX® WHITE Polishing Disc 100mm

For wet use on Engineered Stone.


Grade	Code
50	DW.4V.0050
100	DW.4V.0100
200	DW.4V.0200
400	DW.4V.0400
800	DW.4V.0800
1500	DW.4V.1500
3000	DW.4V.3000
BUFF	DW.4V. BUFF



DIAREX® XPRESS Polishing Disc 100mm

3 Step Polishing for wet use on Marble, Granite and Engineered Stone.

Position	Code
1	DX.4V.1
2	DX.4V.2
3	DX.4V.3



DIAREX® WHITE Polishing Disc 130mm

For wet use on Engineered Stone.

Grade	Code
50	DW.5V.0050
100	DW.5V.0100
200	DW.5V.0200
400	DW.5V.0400
800	DW.5V.0800
1500	DW.5V.1500
3000	DW.5V.3000
BUFF	DW.5V.BUFF



MONTOLIT Diamond Cup Wheels

For wet use on Marble, Ceramic and Porcelain. (Fine Grey GF) For wet use on Granite, Concrete and Porcelain. (Med Red GG)

Size	Code
125mm	STL125GF
125mm	STL125GG

021





SEBALD GRINDING WHEEL Snail Back Red Dot 100mm


Silicon carbide grinding wheels for use on Marble and Granite. Red Dot. 10pcs per box.

Code
G10.024R
G10.060R
G10.120R
G10.220R
G10.360R
G10.500R

SEBALD GRINDING WHEEL Snail Back Red Dot 130mm

Silicon carbide grinding wheels for use on Marble and Granite. Red Dot. 10pcs per box.

Grade	Code
24	G13.024R
60	G13.060R
120	G13.120R
220	G13.220R
360	G13.360R
500	G13.500R



SAIT SANDING DISC Velcro Back 125mm

Silicon carbide sanding discs for use on Marble and Granite. 50pcs per box.

Grade	Code
60	SD125V060
120	SD125V120
220	SD125V220
320	SD125V320
400	SD125V400
500	SD125V500
600	SD125V600
800	SD125V800




SECTION FOUR COUPLINGS + ADAPTORS



RIGID Rubber QRS Backing Pad

Ideal for harder to reach curved areas.





SUPER FLEXIBLE Rubber QRS Backing Pad

Ideal for harder to reach curved areas.

Size	Thread	Code
100mm	M14	VCOUP10AF
130mm	M14	VCOUP13AF



SEMI-RIGID Plastic QRS Backing Pad With 10mm Foam Cushion

Ideal for use with sandpaper and soft material like Marble.

	Size	Thread	Code
10	0mm	M14	VCOUP10ASR
12	5mm	M14	VCOUP12ASR



DIAREX® Snail Back Coupling 130mm

This backing pad has a slight flex, but otherwise rigid.

Perfect for edge polishing.

	Size	Thread	Code
•	130mm	M14	DCOUP13A
1	130mm	5/8"	DCOUP13D
	100111111	0,0	DOCCI 10D



RIGID Aluminium QRS Backing Pad

Great for flat surfaces. Will ensure minimal variation in the material such as ripples

Size	Thread	Code
100mm	M14	VCOUP10AA
130mm	M14	VCOUP13AA



SECTION FIVE CHEMICAL PRODUCTS



SOLID TRANSPARENT

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in vertical.

- + Excellent adhesion on Marble, Stone and Engineered Stone
- + Excellent reactivity at low temperatures + Contains low quantities of VOC

Appearance:	Transparent Honey
Colourable:	Yes
Use:	Professional use
Note:	Suggested for hot temperatures
Ratio of mastic + hardener	100 + 2/3
Gel time (in bulk at 25°):	4-5 min
Tacky free (in thin layer at 25°):	25-30 min

Size	Code
1Lt	TNXTRS1.0
4Lt	TNXTRS4.0
17Lt	TNXTRS17.0



SOLID BIANCO

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical.

- + Excellent adhesion on Marble, Stone and Engineered Stone
- + Excellent reactivity at low temperatures + Contains very quantities of VOC

Appearance:	White
Colourable:	Yes
Use:	Professional use
Note:	Suggested for hot temperatures
Ratio of mastic + hardener	100 + 2/3
Gel time (in bulk at 25°):	4-5 min
Tacky free (in thin layer at 25°):	25-30 min

Size	Code
1Lt	TNXBIANS1.0
4Lt	TNXBIANS4.0



SOLID BEIGE

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical.

- + Excellent adhesion on Marble, Stone and Engineered Stone
- + Excellent reactivity at low temperatures + Contains low quantities of VOC

Appearance:	Beige
Colourable:	Yes
Use:	Professional use
Note:	Suggested for hot temperatures
Ratio of mastic + hardener	100 + 2/3
Gel time (in bulk at 25°):	4-5 min
Tacky free (in thin layer at 25°):	25-30 min

Code
TNXS0LS1.0



SOLID NERO

Thixotropic knife-grade mastic with high viscosity for gluing and grouting of Marble, Onyx and Stone in horizontal and vertical.

- + Excellent adhesion on Marble, Stone and Engineered Stone
- + Excellent reactivity at low temperatures + Contains low quantities of VOC

Appearance:	Black
Colourable:	Yes
Use:	Professional use
Note:	Suggested for hot temperatures
Ratio of mastic + hardener	100 + 2/3
Gel time (in bulk at 25°):	4-5 min
Tacky free (in thin layer at 25°):	25-30 min

Size	Code
1Lt	TNXBLKS1.0



MARBLE SUPER TRANSPARENT

Extra-clear knifegrade glue, good thixotropy and very smooth. The glue is used to laminate, bond, repair and fill Marble and Engineered Stones.

+ Excellent colour stability + Excellent reactivity at low temperatures + Contains low quantities of VOC

Appearance:	Pinky paste
Colourable:	Yes
Use:	Professional use
Note:	Great for white Marble/Onyx
Ratio of mastic + hardener	100 + 2/3
Gel time (in bulk at 25°):	3-6min
Tacky free (in thin layer at 25°):	25-30 min

Size	Code
1Lt	TNXMSTS1.0



LIQUID WAX

Highly concentrated liquid wax designed to increase the brilliance of glossy surfaces.

- + Strong penetration
- + Very quick to dry

Appearance:	Transparent liquid
Use:	Professional use

Size	Code
1Lt	TNXLIQWX1.0



HYDREX

HYDREX is a penetrating sealer (water and oil proof) for polished marbles like: Carrara, Thassos, Trani, Botticino, Marfill and similar stones.

- + Does not change the colour of the stone + Remains permeable to vapours letting
- materials breath and keeping their characteristics unchanged

Appearance:	Clear liquid
Use:	All users

Size	Code
1I t	TNXHYD1 0



AGER

Wet look colour enhancer. Water and oil resistant suitable for Marble, Travertine, Granite and Engineered Stone.

- + No yellowing to sunlight + Excellent water/oil repelant properties + Anti-graffiti
 - + No surface films

Appearance:	Clear liquid
Use:	All users
Note:	Use sparingly

Size	Code
1I +	TNYAGER1 0



DOMO 10

Epoxy bi-component glue is extra strong, in thixotropic paste. Suitable for gluing and joining Marble, Granite and other Natural Stone.

- + High adhesion
- + Weather resistant
- + Can be applied to wet surfaces

Appearance:	White
Colourable:	Yes
Use:	Professional use
Ratio of mastic + hardener:	1 + 1
Get time (in bulk at 25°	Approx. 2h 30 min
Tacky free (in thin layer at 25	Approx. 4h

Size	Code
1Lt+1Lr	TNXD0M2.0



UNIVERSAL COLOURS

Universal colour pastes for polyester resin and epoxy systems. Available individually or in a set: Black, Brown, White, Yellow, Red and Green.

Size	Code
6x75ml	TNXUNICOL6
Colour	Code
Black	TNXUNIBLA.075
White	TNXUNIWHI.075
Brown	TNXUNIBRO.075
Yellow	TNXUNIYEL.075
Green	TNXUNIGRE.075
Red	TNXUNIRED.075



MEGAPOXY

Extra strong solid epoxy glue. For use on Neolith, Dekton and other Sintered Stone.

> + Weather resistant + Can be applied to damp surfaces + High mechanical strength

Appearance:	White
Colourable:	Yes
Use:	Professional use
Ratio of mastic + hardener:	100 + 100
Get time (in bulk at 25°	approx 2hrs 30min
Tacky free (in thin layer at 25	approx 4hrs

Size	Code
4Lt	PLEASE CALL
20Lt	PLEASE CALL




STONELUX REPAIR KITS

StoneLux is worldwide the first fully integrated system for the true-to-nature, effective repair of polishable Natural Stone and Engineered Stone in interior and exterior settings.

Visit: https://www.cdkstone.com.au/ for our full range of StoneLux products.

Kit	Code
Eco Toolbox	SL160001
Compacc Toolbox	SL1204
Professional Toolbox	SL1200

(StoneLux Professional shown above)



SECTION SIX CLEANING PRODUCTS



KF STAIN-STOP

For sealing newly installed polished porcelain tiles. Prevents penetration of water, oil, grease and general dirt's making maintenance easier. Also protects cement-based grout lines.

- Premium protection
 - Water-based
 - Invisible
- Ready-to-use

Size	Code
1Ltr	LFKSTNST01



KF ACTIVE-CLEAN

For the regular maintenance of bathrooms and sanitary areas, promoting shine and hygienic cleanliness. Removes limescale, soap scum, body oils, rust, grease deposits from baths and showers. Cleans chrome, basins, toilets, ceramic and porcelain tiles, glass, stainless steel, grout lines, etc.

Not suitable for acid-sensitive surfaces.

- Concentrate
- Contains acid
- Self-acting

Size	Code
1Ltr	LFKACTCLN01



KF CEMENT RESIDUE REMOVER

Designed for cleaning newly installed ceramic and porcelain surfaces such as fully vitrified tiles, quarry tiles, clay pavers, etc. Effortlessly removes grout residues, builders dirt, cement, rust, lime, efflorescence and other hardened dirt layers.

- Concentrate
- Acid-based
- Acts rapidly
- Hardly any odour
- Easy to use

Size	Code
1Ltr	LFKCRR01



KF INTENSIVE CLEANER

For occasional thorough cleaning or regular cleaning of floors subjected to heavy use. Removes stubborn dirt, oil and grease and care product residues from internal and external tiles including grout lines. Suitable for all ceramic and porcelain. tiles.

- $\bullet \ {\tt Concentrate}$
- Extra strong Alkaline
- Acts rapidly

Size	Code
1Ltr	LFKINTCLN01



KF GROUT PROTECTOR

For protecting cement-based grout in ceramic surfaces.

Protects against water, oil, grease and general dirt's

making maintenance easier.

- Water-based
- Easy to apply
- Safe to use
- Invisible
- Long term protection

Size	Code	
500ml	LEKGPROD 5	



KF MILDEW-AWAY

Removes black spots, mould, fungus, algae and other organic discolorations in sanitary areas. Effective on tiles, silicone and cement joints, on plaster, stone and masonry.

- Easy and safe to useActs rapidly
- Contains chlorine

Size	Code
500ml	LFKMILDAW0.5



KF VITRA-CLEAN

For continuous care of floors subjected to normal levels of wear. Cleans and maintains rough and polished surfaces streak-free making them even more attractive.

- Concentrate very high yield
 - Free of wax
 - Mildly alkaline
- Does not form layers

Size	Code
1Ltr	LFKVITCLN01



WAX-OFF

Removes layers of wax, sealants, tar, oil stains, lacquer, glue and silicone.

Deposits are dissolved and can then be washed off with water.

- Ready-to-use
- Contains solvents
- Deep acting
- Water soluble

Size	Code
1Ltr	LFWAX0FF01



ASR

Removes stubborn dirt, engrained dirt, grease and oil films and old sealers. Suitable for ceramic and porcelain tiles, slabs, quarry tiles, bluestone and hard natural stones.

- Highly alkaline cleaner
 - Concentrate
 - Extra strong
 - Professional use.

Size	Code
1Ltr	LFASR01
51 tr	I FASR05



THE CRAFTSMANS' CHOICE SINCE 1953

THE LATEST CARE TECHNOLOGY FOR PRECIOUS SURFACES



Lithofin boasts a complete range of premium specialised cleaners, sealers, problem solvers and maintenance products for natural and engineered stone, ceramic and porcelain tiles, compact sintered surfaces and external pavers used by both professionals and homeowners.

Lithofin products were first developed by Glaubrecht Stingel in Stuttgart, Germany in 1953. Today Lithofin is expertly guided by grandson Garvin Stingel developing Lithofin into a worldwide market leader.

To view the full Lithofin range visit: www.lithofin.com.au







TUSCAN LEVELLING SYSTEM

Straps are made from a propriety blend nylon which allows elasticity to provide a better finish 1mm thickness allows thinner grout line Perforated to break in the right place every time

Flat base straps require less glue and provide greater adhesion Caps designed for durability and longer life (can be used dozens of times) Special locking system with hand-sharpened stainless steel tongue prevents any slippage


The system is easy to learn and use, at any skill level Makes installation twice as fast, and more profitable Reduces installer fatigue and stress Drastically reduces the need for grinding For use with tiles 300mm or larger













Attach setting tool



Tension until level





Lay the tile Position strap and cap

TSLSC0250

Setting Tool - Ergonomic 1 unit
Codo

TLSSTEP



Size	Code
200 pcs	TLSS200
1000 pcs	TLSS1000



TUSCAN SEAMCLIP

The Tuscan SeamClip™ is the world's first one-piece joint levelling system that will greatly assist in the installation of porcelain, stone, ceramic, marble, granite and large format tiles from 3mm-13mm thickness.

	WHITE	
Size	Quantity	Code
3-6.5mm	150 pcs	TSCW0150


RED			
Size	Quantity	Code	
9.5-13mm	150 pcs	TSCR0150	
9.5-13mm	500 pcs	TSCR0500	

BLUE			
Size	Quantity	Code	
6.5-9.5mm	150 pcs	TSCB0150	
6.5-9.5mm 500 pcs		TSCB0150	

	C	RANGE	
Size		Quantity	Code
9.5-13m	m	150 pcs	TSC00150
9.5-13m	m	500 pcs	TSC00500



Exclusively supplying Italy's finest terrazzo





02 9822 5910

07 5537 3222

W www.cdkstone.com.au **E** info@cdkstone.com.au

f o cdkstone




TERRA LEVEL

With this pedestal a balancing or decrease of the slope and a levelling of irregularities e.g. outflows, weld seams and much more is possible. The desired height or slope compensation is achieved by stacking the pedestal in 1cm increments. The fine leveling can be made separately in 1 mm increments on every corner of the slab. This ensures that the slap lies strong and full.

A variable mm-construction of every slab corner ensures:

- an individual slope compensation
- a levelling of irregularities e.g. weld seams
- a levelling of variable slab thickness





Terra Level 1 cm (stackable)

Terra Level pedestal 1 cm can be layed on every sealing foil. The very tough special plastic does not harden and reduces footfall sound. TERRA LEVEL pedestals are stackable and the system allows an adjustment from 1 cm up to 20 cm.






Terra Level block 3 cm (stackable)

Terra Level block 3 cm was constru

cted to save time and costs. The bloc can be used from a minimum raising height of 5 cm and has to be completed at the top and the bottom by TERRA LEVEL 1 cm to guarantee anti-slipping conditions.






Terra Level adjusting-shim 1 mm (stackable)

Terra Level adjusting-shim 1 mm allows easy levelling. Different slab thicknesses, irregularities of the underground as well as a slope can be adjusted on every corner of the slab.





Terra Level DVP pressure dispatcher disc 3mm (Ø 20cm)

The DVP pressure dispatcher disc 3mm can be combined with TL1, TL2 and TL3. This achieves a larger support surface of 20 cm diameter.





TL4 tile support 6 cm to 13 cm





TL4 tile support 6 cm to 13 cm is adjusted by means of an adjustment ring. If neces sary, fine adjustment and slope compensa tion is completed along with the TL3 adjust ment shims 1 mm. For raising heights just over 13 cm, TL1 tile support 1 cm can also be used for the construction.























TL4K coupler 7 cm




TL4K coupler 7 cm can only be used in combination with TL4 - unscrew the base plate at TL4 and insert the coupler. The height regulation of 7 cm can be adjusted as in TL4 by the central adjustment ring. This achieves a raising height of 13 to 20 cm.



It is also possible to use several couplers (maximum 10). Raising height of 83 cm possible. TL4K was designed to speed up working processes and save costs.









Construction variants














*Max. 10 couplers one above the other = 83 cm

Slope variants




0 % no slope 1 % light slope

2 % in slope

Slopes of more than 10% can be compensated







Terra Level Sizes & Codes

Size	Code
1cm high / 3mm joint	TL1
3cm high / 3mm joint	TL2
Shim 1mm thick	TL3
6cm to 13cm	TL4
14cm to >103cm	TL5
Coupling tube 100cm	TL6







DIAREX® 8" Vacuum Lifter With Hand Pump

200mm single vacuum cup with 120kg lifting capacity. Full metal handle with brass pump.

HE HG01HD8



DIAREX® SINGLE CUP Vacuum Lifter With Lever Action

117mm single vacuum cup. 30kg lifting capacity.

> Code HE.HG01L



DIAREX® TWIN-CUP Vacuum Lifter

Twin-Cup
Handheld lifter with two 117mm vacuum cups.
50kg lifting capacity.

Code



AARDWOLF Stone Buggy Single Sided

Load Capacity	400kg
Length	
Height	
Width	660mm
2 Solid Wheels	

Code HE.ASB1220S



DIAREX Stone Buggy Single Sided

Max Load Capacity	360kg
Weight	40kg
Length	
Width	660mm
Height	1140mm

Code HE.DSB1220S



SECTION NINE FLEX POWER TOOLS



FLEX L 1506 VR Grinder Polisher

Variable speed 1200 watt angle grinder/polisher.

Specifications	
Max. Disc ∅	125mm
Speed (without load)	2200 - 6800rpm
Power Input	1200watt
Power Output	700watt
Tool Fixture	M14
Weight	1.9kg
Warranty	24 Months
Code	L1506VR



FLEX LE 12-3 100 WET Variable Speed Polisher

Variable speed, lightweight and powerful wet polisher with GFCI.

Specifications	
Max. Disc Ø	115mm
Speed (without load)	1200-3700rpm
Power Input	1150watt
Power Output	700watt
Tool Fixture	M14
Weight	2.4kg
Warranty	24 Months
Code	LE12-3100WET



FLEX L 12-3 100 WET Wet Polisher

Lightweight and powerful wet polisher with GFCI.

Specifications	
Max. Disc Ø	115mm
Speed (without load)	3700rpm
Power Input	1150watt
Power Output	700watt
Tool Fixture	M14
Weight	2.4kg
Warranty	24 Months
Code	L12-3100WET



FLEX L 8-11 125 Grinder

800 watt angle grinder, 125mm.

Specifications	
Max. Disc ∅	125mm
Speed (without load)	11500rpm
Power Input	800watt
Power Output	450watt
Tool Fixture	M14
Weight	2.0kg
Warranty	24 Months
Code	L8-11125



FLEX L 14-11 125 Grinder

1400 watt angle grinder with superior torque.

Specifications	
Max. Disc Ø	125mm
Speed (without load)	11500rpm
Power Input	1400watt
Power Output	880watt
Tool Fixture	M14
Weight	2.0kg
Warranty	24 Months
Code	L14-11125



FLEX LE 14-11 125 Variable Speed Grinder

Variable Speed 1400 watt angle grinder with superior torque.

Specifications	
Max. Disc Ø	125mm
Speed (without load)	11500rpm
Power Input	1400watt
Power Output	880watt
Tool Fixture	M14
Weight	2.0kg
Warranty	24 Months
Code	LE14-11125



FLEX Wet Circular Saw

Diamond masonary wet saw with GFCI for straight and mitre cuts.

Specifications	
Diamond Blade Ø	170mm
Blade Bore	22mm
Max. Cutting Depth (90,45)	0-54,0-44mm
Speed, Without load	6200rpm
Power Input	1400watt
Power Output	840watt
Weight	10kg
Warranty	24 Months
Code	CS60

eatures

- High-performance motor: extra powerful for stone cutting and joint milling
 Continuous cut depth setting from 0-60 mm, with rail guide up to 54mm
- In the mitre cut from 0-44 mm, with guide rail up to 38mm
- Continuous angle adjustment for mitre cuts from 0-45°
- Cut marking at the base plate from 0°/30°/45° for rapid orientation
- High-quality magnesium die-castings for protective cover and base plates
- Motor protection made of rubber prevents the direct intake of spray water
- Water supply: for an effective cooling of the diamond blade
- Quick-fit brass coupling: for 1/2" water hose
- GFCI operator protector circuit breaker: integrated in cord
- Spindle Lock

Guide Rail GRS - Code: 800mm - V353.280 | 1600mm - V353.351

Precise aluminium profile with anodized sliding coating and guide rib. Plugged rubber lip as contact edge at the marking, anti slip protection on the bottom.

Connector for Guide Rails - Code: V359.272

Precise metal connector for connecting two guide rails GRS. When not in use, the connector can be parked in the guide rail with the included tool.





FLEX L 125 18.0-EC/5.0 SET Cordless Grinder

Powerful 18V Lithium Ion cordless angle grinder with brushless motor.

Specifications	
Max. disc diameter	125mm
Battery voltage	18v
Battery capacity	2.5 / 5.0 Ah
No load speed	8500rpm
Tool fixture	M14
Weight without battery	1.75kg
Warranty	12 Months
Code	L12518.0-ECSET



FLEX VCE 44 H AC Safety Vacuum Cleaner

Safety vacuum cleaner with automatic filter cleaning system, $$42\,\mbox{l}_{\mbox{\scriptsize I}}$$ class H

Specifications	
Filter Class	Н
Max. Air Flow Rate	4500 l/min
Max. Load Capacity	42ltr
Max. Liquid Capacity	26ltr
Max. Vacuum	25000
Power Input	1400watt
Weight	17.6kg
Warranty	12 Months
Code	VCE 44 H AC



Features

- Electronic management system (EMS) protects the machine, extends the service life, and increases efficiency
- Brushless motor with greater efficiency and a longer service life
- Soft start, overload protection and restart protection
- 3-fold winding protection from dust. Reduces motor wear, increases service life. Protective guard on the winding end of the armature and plated winding on the armature.
- Tool-free adjustment of safety guard
- Spindle Lock
- Hand grip can be placed on either side
- Locking switch for ease of use.

Grinder Only	
Code	L12518.0-EC

Features

- Adapter plate that can be installed without using tools, for fixing L-BOXXes and Tanos systainers on the head of the vacuum cleaner
- The high-performance turbine ensures both a high suction capacity and a high vacuum. The outcome is an excellent extraction result
- Continuous automatic flat filter cleaning ensures no loss of suction
- The flat-fold filter with Teflon coating / nanocoating allows optimum use of the tank volume
- Permanent socket and electronic automatic on/off switch
- Flow sensor technology monitors the flow rate and emits a visual and audible signal to indicate any drop below the statutory minimum value of $\le 20 \text{m/s}$
- Visual and audible signal for monitoring the HEPA filter
- The flow rate control via the rotary switch minimises possible vacuums on the surface during intermediate and finish sanding
- Suction diameter selector switch for adjusting the optimum flow rate
- Suitable for wet vacuuming: with electronic liquid level control
- Soft start stops any voltage peaks at the start and the run-on feature (15 sec. overrun) empties any remaining dust in the vacuum hose.
- Double-walled sturdy container with integrated grip recess for emptying the container easily
- Dust-protected antistatic finish prevents electric charging of the suction hose
- Equipped with large wheels and two swivel guide rollers made of metal
- Separate motor air cooling duct with coarse dirt filter. Protects the turbine against the ingress of ambient air and thereby extends the service life. (Fine dust filter PES available as an accessory)
- Simple filter change without removing the suction head
- With hose retainer and expander for easy, quick securing of the nower cable
- With 4 clamping loops (2 on each side) for attaching straps and a giraffe holder
- Safety vacuum cleaner class H: suitable for all dusts with OEL values < 0.1 mg/m3 with additional audit "asbestos" by TRGS 519
- Suitable for dry, non-flammable dusts that are harmful to the health and carcinogenic substances incl. asbestos
- Ideal to remove mould, restore roofs and walls insulated with mineral wool. Sanding dust.







MANTA ALUMINIUM Portable Saw

Robust and accurate portable saw featuring linear bearings on chrome plated bars, 45° bridge tilt, intergrated water tank with recirculation pump & folding legs.

Motor	2.2kw, 230V
Spindle Speed	2800rpm
Max. Blade Diameter	350mm
Max. Cutting Thickness	110mm
Warranty	12 Months

Cutting	Weight	Code
650mm	61kg	MANTA065A
850mm	66kg	MANTA085A
1000mm	72kg	MANTA100A
1200mm	79kg	MANTA120A



Leader in the production of Stone Cutting and Polishing Equipment such as Radial and Jump Circular Saws for Masons (i.e. wide range of Mini Manta, Manta Alluminium, Manta Ed 50 and Manta Ts), Step and Floor Polishers both for Soft and Hard Stones (i.e. Panda, Lupessa, Koala, Gazzella, Puma and Pantera), Stone Slab Saws (i.e. Manta Automatica, Manta Special, Manta Eco and Manta Poker) a and Tampers and Cutters for Asphalts (i.e. Castoro, Canguro, Grillo).

FEATURES





45° tilt head.

Linear bearings with chrome plated steel bars.





Stainless steel water tank.

Foldable legs with wheels.

MANTA ACCESSORIES



















ltem	Code	Item	Code
1	MANTAEXT	8	NMM020112
2	NMM17M005	9	MANTAWPS1
3	MANTASE065	10	MANTAWPS2
4	MANTASE120	11	MANTAWPS3
5	MANTAROLL	12	NMM020279
6	MANTALASER	13	NMM20042
7	NMM020006		






MONTOLIT SUPERSTICK With Hand Pumps

Designed for handling and positioning the latest generation large format (3m×1.5m) tiles. Max. load capacity 80kg. Suitable for 6mm slabs.

Product	Code
Superstick	300-70
Suction Cup	300-70



- Differing from other frames because it has the possibility to position the suction cups according to the size, shape and cut outs, making it uniquely adaptable
- The overall dimensions of the complete frame are also specific to allow the removal of the tiles from the special packaging crates which carry them. The telescopic handles allow a more ergonomic grip.
- The 'Superstick' carrying frame enables movement of the tiles in both horizontal and vertical positions and is equipped with telescopic feet to allow support on the ground so that the tile is held in the frame without being damaged.
- With thinner (>6mm) tiles it is recommended that extra suction cups are added to avoid harmful bending of the plate.



MONTOLIT Modular Work Bench

1800mm x 900mm, height - 830mm. Weight - 31kg.

Code	
300-15	



- The Montolit work table is made with an aluminium and steel structure, providing a robust, stable and practical solution for working on large format material. It's greatest feature is of course, the modularity, allowing you to join tables together for more versatility.
- Optional extra lateral supports can be purchased for supporting large pieces.



MONTOLIT MASTERPIUMA Tile Cutter

Professional Tile Cutter

Size	Code
63cm	63P3
93cm	93P3
125cm	125P3
155cn	155P3




Highlights

- Engineered for easy cutting all types of available ceramics, porcelain and glass tiles, including glass mosaic.
- Accurate and extremely powerful ergonomic push scrib handle. Recognized as the most effective lever on the tile cutter market.
- The self adjustable patented scoring system facilitates and consistently speeds up the cutting and splitting process on every different thickness and material, either porcelain, ceramics or glass.
- Set-up, transport and storage are quick and easy, thanks to the patented foldable design. This professional snap tile cutter doesn't need to be dismantled.

Characteristics:

 Masterpiuma Tile Cutter has a structure in die-cast aluminum and nickel-plated steel for maximum strength and weatherresistance. Cut-off device made of special non-scratch plastic. Titanium wheel as standard (special for porcelain tile). Protractor square and extension close away without protruding beyond the profile of the cutter. Sprung tables for safe tile splitting and extendable support rod for large-format tiles (models 63P3, 75P3, 93P3,125P3 and 155P3 only).



Multifunction, Power and Precision are the main features of this innovative Tile Cutter. 100% Made in Italy. Masterpiuma is the lightest among professional tile cutters.

This range of super-professional manual tile cutter can cut all types of tile, with thickness of 0-22 mm, quickly and accurately. Thanks to the large protractor square, even diagonal cutting is safe and simple.



MONTOLIT Nibbler


For making classic and artistic mosaics, small finishing touches, angles, special shapes and breaking tiles into small pieces.

Code	
33W	



MONTOLIT 'GOAL' TROLLEY For Moving Large Format Tiles

Maximum weight 150kg.





- Slabs up to 150kg maximum weight can be carried in total safety and where there are points of contact between the cart and the items being carried, materials such as wood and foam, can be put in place so as to avoid chipping and slipping.
- Hooks in the upper part of the carriage can support the Superstick frame thus facilitating the easy coating of adhesive glue to the tile and also creating continuity of movement between the lifting phase of the plate and the installation.
- 'Goal' will easily fold to minimise space during transport and storage.
- Two of the wheels have brakes which can be locked to keep the carriage in the desired position.



MONTOLIT FLASH LINE Cutting System

Complete score and snap system for cutting large format tiles up to 3.4m long and 10mm thick.

C	ode
300-1	FL-EVO



MONTOLIT CORNER Protectors

Corner protectors to suit tiles with thickness up to 12mm. This patented system, by Montolit, is able to absorb shocks that could damage or chip the material. 4pcs

Size	Colour	Code
5-6mm	Clear	300-95-06
11-12mm	Black	300-95-12



SECTION TWELVE PERSONAL PROTECTIVE EQUIPMENT

TYPES OF PERSONAL PROTECTIVE EQUIPMENT

PPE can be considered in the following categories, based on the type of protection afforded by the

RESPIRATORY PROTECTION

lisposable, cartridge, air line, half or full face EYE PROTECTION spectacles/goggles, shields, visors
HEARING PROTECTION ear muffs and plugs HAND PROTECTION loves and barrier creams FOOT PROTECTION HEAD PROTECTION WORKING FROM HEIGHTS

arness and fall arrest devices SKIN PROTECTION ats, sunburn cream, long sleeved clothes

OTHER PERSONAL PROTECTIVE EQUIPMENT

This may include PPE for specific tasks such disposable clothing for working with hemicals, radiation hazards, welding painting. Examples include: lead aprons for x-ray protection; sleeve protectors, aprons, overalls when using chemicals; leather ackets, trousers and spats for welding; hermal and cold protective clothing for work ear furnaces and cool rooms.



COBRA Earmuffs

Class 5, SLC8028dB

- General purpose use
- Hearing protection for noise levels to 110dB(A)
- · Convenient fold-away construction
- High quality ear cushions
- Inner foam and headband cushions provide comfort during extended wear
- · Low clamping force applies minimum pressure while maintaining a tight, snug seal

SE.EMCOB



PYTHON Earmuffs

Class 5, SLC8031dB

- · High performance and strong durability through steel wire construction for maximum protection with easy adjustment system for individual fit
- Hearing protection for noise levels to 116dB(A)
- Solid, lightweight ear cup construction
- High quality ear cushions
- Padded foam headband minimises pressure on the head
- Increased wearer comfort due to low clamping

Code
SE.EMPYT



STONEMASON'S Apron

- 90 x 120cm long PVC apron
- Provides good abrasion resistance
- Offers some chemical resistance
- Flexible, light and tough

Black

- One size fits all
- Sold and packaged individually



ARAX WETGRIP Gloves

- Arax® Knit Technology with EN 388 Cut 5 Protection
- Black Nitrile Sand Dip for superior grip in wet, greasy conditions
- ProChoice's Bare Hand Technology (BHT) for improved dexterity and sensitivity

SE.AND9

SE.AND10

· Quick and easy donning and doffing



Sundström SR90-3 Half Face Respirator

- New improved TPE (thermo-plastic elastomer) material
- Two exhalation valves
- Small/Medium and Medium/Large size
- Continuous head strap or cradle harness
- Can easily be fitted with optional SmallTalk
- microphone and loudspeaker
- Accepts all Sundström filters and compressed air attachments

Code
SE.441000



MAXI MASK 2000™ Half Mask Respirator

Painters & Tradies Kit Blister Pack

- Fully adjustable four point cradle suspension ensuring an effective facial fit
- Low profile angle filter design for minimum visual impairment
- Durable thermoplastic rubber mask for superior fit to most face shapes
- Contour moulded nose for fit with glasses and
- Low resistance exhalation valve to reduce heat and moisture build up
- Quick and easy filter cartridge connection
- Includes 1 x pair of PCA1P2

Code	
SE.HMTPM	



MAXI MASK 2000™ Half Mask Respirator

Painters & Tradies Kit Bucket

- Fully adjustable four point cradle suspension ensuring an effective facial fit
- Low profile angle filter design for minimum visual impairment
- Durable thermoplastic rubber mask for superior fit to most face shapes
- Contour moulded nose for fit with glasses and
- Low resistance exhalation valve to reduce heat and moisture build up
- Quick and easy filter cartridge connection
- Includes 1 x pair of PCA1P2

Code	
SE.HMA1P2-B	



A1P2 Cartridges to Suit **HMTPM**

- For use on ProChoice Maxi Mask 2000™
- A1P2 cartridges for gas/vapour and combination particulate/gas/vapour cartridge
- Combination Cartridge protects against dust and vapour fumes up to 1000pp
- Easy 'Lock-on system' to Prochoice Half Mask
- Comes Complete with a P2 ProChoice filter and retainer caps
- Qtv/Box 1 Pair
- Qty/Carton 25 Pairs

Code	
SE.PCA1P2	



SE.AF1BK

SE.AF1B

SE.AF1W

CLEANSPACE 2 Powered P3 Respirator

- Comfortable and easy to wear over long periods
- Lightweight 500g
- No hoses, belts or waist mounted battery
- Particulate and gas filters available
- Up to 8 hours run time
- No servicing or maintenance • Compatibility with PPE



CLEANSPACE Mask

- Comfortable and easy to wear over long
- No servicing or maintenance
- Compatibility with PPE



CLEANSPACE ULTRA Powered P3 Respirator

- Water tolerant
- Comfortable and easy to wear over long periods
- Lightweight 500g
- No hoses, belts or waist mounted battery
- Particulate and gas filters available
- Up to 8 hours run time
- No servicing or maintenance
- Compatibility with PPE

Size	Code	Code
Small	SE.PAF-0033	SE.PAF-007
Madium	CE DAE 1010	

Code
SE.PAF-0034


Size	Code
Small	SE.PAF-0033
Medium	SE.PAF-1010
Large	SE.PAF-1027

CDK STONE TILE TOOLS + EQUIPMENT CATALOGUE 2.0

053











VIC Showroom NSW

NSW Showroom | QLD 02 9822 5910

07 5537 3222







STAEDTLER Permament Wax Pencils

- Waterproof wood-cased pencil in up to 6 colours. Packs of 12 [not sold seperately]
- Opaque marking on almost all surfaces even on dark or transparent ones, e.g. Paper, Plastic, Metal, Glass, Wood, Leather and Stone
- •Non-corrosive colour pigments

Colour	Code
White	STD808-0
Yellow	STD808-1
Red	STD808-2
Blue	STD808-3
Green	STD808-5
Black	STD808-9



PICA Dry Marker

Pica Markers are a good choice for multiple applications. The standard pencil comes with a cap containing a sharpener, and one lead.

They are designed to write on many different surfaces, from dry to wet or oily, and smooth or glossy surfaces.

Code	
PICADRY	



ARDELL Single Edged Razor Blades

High grade stainless steel blades. Made in the USA. 100pcs Per Pack.

Code RAZORSEA



High quality carbon steel. One piece drop forged.

Precision ground and tempered.

Code SMALLTOOL19





TERMS + CONDITIONS OF TRADE

CDK STONE PTY. LTD. - TERMS & CONDITIONS OF TRADE | THE CUSTOMER HAS AGREED TO PURCHASE PRODUCTS FROM THE SELLER IN ACCORDANCE WITH THE FOLLOWING TERMS AND CONDITIONS:

1. DEFINITIONS

In these Terms and Conditions, unless the context otherwise requires:

- 1.1 "Application" means the Seller's credit application form completed with the Customer's details;
- "Customer" means the person(s) (including a body corporate) who orders the Products from the Seller (and including any person acting on behalf and with the authority of the Customer);
- 1.3 "Price" means the price payable by the Customer to the Seller for the Products as agreed between the parties in accordance with clause 3 of these Terms and Conditions-
- 1.4 "Products" means goods supplied by the Seller to the Customer (and where the context so permits shall include any supply of services such as the provision of advice or recommendations) and are as described on the invoices, quotation, work authorisation or any other forms provided by the Seller to the Customer;
- 1.5 "Seller" means CDK Stone Pty Ltd (ACN 104 900 647) of 4-6 Freighter Road Moorabbin, Victoria 3189 (telephone +613 8552 6000), and its successors and assigns (and including any person acting on the behalf and with the authority of the Seller): and
- 1.6 "Terms and Conditions" means the terms and conditions of trade set out in this document.

The Customer accepts and agrees to be bound by these Terms and Conditions by signing the Application and/or by submitting an order to the Seller for the supply of Products and/or the by accepting Products supplied by the Seller.

3. PRICE AND PAYMENT

- 3.1 The Price for the Products shall be the price specified in the written quotation, work authorisation or other form provided by the Seller to the Customer, provided that such price has been accepted by the Customer in writing within 30 days of receipt by the Customer.
- 3.2 If no price has been agreed upon in accordance with clause 3.1, the Price for the Products shall be the price indicated on invoices provided by the Seller to the Customer.
- 3.3 The Seller reserves the right to change the quoted Price in the event that the Customer's order is varied.
- At the Seller's sole discretion, the Customer may be required to pay a deposit on the Price.
- 3.5 The due date for the payment of the Price will be:
 - (a) the date specified in the written quotation, work authorisation or other form provided by the Seller to the Customer: or
 - if no such date is specified, on the date specified on the invoice for the Products; or
- If no such date is specified, thirty (30) days after the date of the invoice. 3.6 The time for payment of the Price shall be of the essence of these Terms and Conditions.
- 3.7 Payment of the Price may be made by cash, company cheque, bank cheque, credit card, direct credit, letter of credit or by any other method as agreed to between the Customer and the Seller.
- 3.8 GST and other taxes and duties that may be applicable shall be added to the Price except when they are expressly included in the Price.
- 3.9 A surcharge of up to 5% of the Price may be applied to payments made by credit card.
- 3.10 The Customer must pay all money due to the Seller without deduction or set off and must not withhold any payment on the grounds of alleged non-performance by the Seller of its obligations or for any other reason
- 3.11 Acceptance by the Seller of payment of a sum less than the full sum due to the Seller will not be an acknowledgment of payment in full or an accord and satisfaction and will not prejudice the Seller's rights to recover the balance due or to pursue any other remedy in respect of any unpaid money.

4. DELIVERY OF PRODUCTS

- 4.1 At the Seller's sole discretion, delivery of the Products shall take place-
- (a) in the event that the Products are delivered by the Seller or the Seller's nominated carrier, when the Products are set down on the floor of the Customer's nominated address for delivery;
 - (b) in the event the Products are collected from the Seller by the Customer or the Customer's nominated carrier (which carrier shall be deemed to be the Customer's agent) where the Products are transferred to a vehicle or trailer used by the Customer or the Customer's nominated carrier by the Supplier's crane, at the earlier of when:
 - the Products are handled by the Customer or the Customer's nominated carrier: or
 - the Products are set onto or into the vehicle or trailer; and
- (c) in the event the Products are collected from the Seller by the Customer or the Customer's nominated carrier (which carrier shall be deemed to be the Customer's agent) without the use of the Seller's crane, at the earlier of when:
- the Products are handled by the Customer or the Customer's nominated carrier- or
- the Products leave the Seller's floor.
- 4.2 Delivery of the Products to a third party nominated by the Customer is deemed to be delivery to the Customer If the third party carrier damages the Products in transit, the Customer is still required to pay the Price for the Products in accordance with clause 3 and all amounts owing to the Seller for the particular Products.
- 4.3 Unless otherwise specified in writing in an invoice, quotation, work authorisation or other form, the costs of delivery of the Products shall be in addition to the Price or for the Customer's account.
- 4.4 The Customer shall make all arrangements necessary to take delivery of the Products whenever they are tendered for delivery. In the event that the Customer is unable to take delivery of the Products as arranged then the Seller shall be entitled to charge a reasonable fee for redelivery.
- 4.5 The Seller may deliver the Products by separate instalments. Each separate instalment shall be invoiced and naid in accordance with the provisions in these Terms and Conditions
- 4.6 The failure of the Seller to deliver shall not entitle either party to treat these Terms and Conditions as
- 4.7 The Seller shall not be liable for any loss or damage suffered by the Customer as a result of any failure by the Seller to deliver the Products (or any of them) promptly or at all.
- 4.8 The Seller may charge a storage fee if Customer orders a Product but does not want the Product delivered immediately upon becoming available.

5. RETENTION OF TITLE

- 5.1 Following delivery, ownership of the Products shall not pass to the Customer unless or until:
- (a) the Customer has paid the Seller the Price and all amounts owing to the Seller for the particular Products: and
- (b) the Customer has met all other obligations due by the Customer to the Seller in respect of these Terms and Conditions and any other agreements between the Seller and the Customer, and until such time the Products shall remain the sole and absolute property of the Seller as legal and
- 5.2 Receipt by the Seller of any form of payment other than cash shall not be deemed to be payment until that form of payment has been honoured, cleared or recognised and until then the Seller's ownership and rights in respect of the Products shall continue.

- 5.3 Until the Seller has received payment for the Price and all amounts owing to the Seller for the particular Products in full:
 - the Seller shall have the right of stopping the Products in transit whether or not delivery has been made; where practicable, the Customer must ensure that the Products are kept separate and identifiable;
 - the Customer must not charge the Products in any way nor grant nor otherwise give any interest in the
 - the Seller may give notice in writing requiring the Customer to return the Products or any of them to the Seller, and if the Customer fails to return the Products within a reasonable time then the Seller or the Seller's agent may enter upon and into land and premises owned, occupied or used by the Customer where the Products are situated as the invitee of the Customer to take possession and remove the Products and the Seller shall not be liable for any damage, injury or loss however caused resulting from the recovery of the Products;
 - the Customer is only a bailee of the Products and the Customer shall hold any proceeds from the sale or disposal of the Products on trust for the Seller, either in a separate account or clearly identified in the books and records of the Customer as being so held for the Seller;
 - if the Products are converted into other products the Seller will be the owner of the end products; and
 - the Seller can issue proceedings to recover the Price of the Products sold and all amounts owing to the Seller for the particular Products notwithstanding that ownership of the Products may not have passed to the Customer.

5.4 The Customer acknowledges that:

- these Terms and Conditions constitute a "security agreement" for the purposes of the Personal Property Securities Act 2009 (Cth) and regulations made under that Act ("PPSA");
- under this security agreement, the Seller is the "secured party", the Customer is the "grantor" and the Product supplied by the Seller to the Customer pursuant to these Terms and Conditions is "collateral" including Product that is supplied to the Customer both before and after this security agreement is
- the Customer grants a "purchase money security interest" to the Seller in the Product as collateral pursuant to this security agreement for the purposes of the PPSA;
- the Seller has or will register its purchase money security interest in the Product as collateral in accordance with the PPSA:
- at the Seller's request, the Customer must, at its cost, do anything considered by the Seller in its absolute discretion to be necessary for the purposes of ensuring that the Seller's purchase money security interest is able to be registered on the Personal Property Securities Register and is enforceable, perfected and effective to give the Seller priority for the purchase money security interest in the event of insolvency of the Customer or otherwise:
- the Seller is not required to give the Customer any notice under the PPSA (including a notice of a verification statement) unless the notice is required by the PPSA and cannot be excluded

6. RISK

- 6.1 All risk for the Products passes to the Customer on delivery pursuant to clause 4.1 irrespective of whether ownership in the Products has passed to the Customer.
- 6.2 If any of the Products are damaged or destroyed following delivery but prior to ownership passing to the Customer, the Seller is entitled to receive all insurance proceeds payable for the Products. The production of these Terms and Conditions by the Seller is sufficient evidence of the Seller's rights to receive the insurance proceeds without the need for any person dealing with the Seller to make further enquiries.
- 6.3 The Customer acknowledges that the Seller will not accept responsibility for damage to Products after delivery nursuant to clause 4.1 and that the Seller should ensure that they or their nominated carrier have sufficient insurance to cover the Products during transit including loading and unloading.

- 7.1 If the Customer believes that any Product delivered is defective at the date of delivery or that the Product delivered does not correspond with the Customer's order in terms of type, quantity, variety or otherwise, the Customer must notify the Seller within seven (7) days of delivery.
- 7.2 Save where a defect or error is not readily apparent in any reasonably conducted inspection of the Product at the time of delivery, if the Customer fails to notify the Seller pursuant to clause 7.1, the Customer is deemed to accept the Product and loses all rights it would otherwise have against the Seller in respect of the matters referred to in clause 7.1
- 7.3 For Products which the Seller has agreed in writing are defective or were delivered in error, the Seller's liability is limited to either (at the Seller's discretion)
 - replacement of the Products: or
 - repair of the Products,
 - except where the Customer has acquired the Products as a consumer (as defined in the Australian Consumer Law) as set out in clause 7.12.
- 7.4 Subject to these Terms and Conditions, the Seller warrants that if any defect in any workmanship of the Seller that was not readily apparent in any reasonably conducted inspection of the Product at the time of delivery becomes apparent and is notified to the Seller within three (3) months of the date of delivery (time being of the essence) then the Seller will either (at the Seller's sole discretion) replace or remedy the workmanshi
- 7.5 A claim made pursuant to the warranties set out in this clause must be made in writing to the Seller at 4-6 Freinhter Road Moorabhin, Victoria 3189 (telephone +613 8552 6000)
- 7.6 A Customer shall only be entitled to make a claim pursuant to the warranties set out in this clause if they afford the Seller an opportunity to inspect the Products within a reasonable time upon request to confirm the
- 7.7 The Customer is responsible for all costs associated with claiming under the warranties set out in this clause, unless the Seller agrees otherwise in its sole discretion.
- 7.8 The warranties set out in this clause shall not cover any defect or damage which may be caused or partly caused by or arise through:
 - failure on the part of the Customer to properly maintain any Products; or
 - failure on the part of the Customer to follow any instructions or guidelines provided by the Seller; or a use of the Products in a manner inconsistent with any uses specified in a written quotation, work
 - authorisation or other form for the Products- or the continued use of any Products after any defect becomes apparent or would have become apparent
 - to a reasonably prudent operator or user; or
- an event of force majeure pursuant to clause 18.
- 7.9 If the workmanship of the Seller is repaired, altered or overhauled without the Seller's consent, the warranties set out in this clause shall cease and the Seller shall thereafter in no circumstances be liable under the terms

- 7.10 The Seller shall not be liable to compensate the Customer for any delay in either replacing or remedying the workmanship or in properly assessing the Customer's claim under these warranties.
- 7.11 For Products not manufactured by the Seller, the warranty shall be the current warranty provided by the manufacturer of the Products. The Seller shall not be bound by nor be responsible for any term, condition, representation or warranty other than that which is given by the manufacturer of those Products.
- 7.12 ADDITIONAL INFORMATION FOR CUSTOMERS WHO PURCHASE PRODUCTS AS CONSUMERS (AS DEFINED BY THE ALISTRALIAN CONSUMER LAW).

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. The warranties in clause 7 of these Terms and Conditions are in addition to any other rights and remedies that you may have under the Australian Consumer Law.

- 8.1 The Seller may (in its sole discretion) accept the return of Products that are not defective, but only if:
- the Customer requests the return in writing within seven (7) days of delivery;
- the Customer provides proof of purchase if requested-
- the Seller has agreed in writing to accept the return of the Products;
- the Products are returned at the Customer's cost within thirty (30) days of the delivery date;
- the Products are returned in the condition in which they were delivered and with all packaging material, brochures and instruction material in as new condition as is reasonably possible in the circumstances;
- the Customer pays a restocking fee to be determined by the Seller of up to 30% of the Price of the returned Products.
- 8.2 Product procured and supplied by the Seller at the specific request of a Customer will not be accepted for return (except in accordance with clauses 7 and 8).

9 DEFAULT & CONSEQUENCES OF DEFAULT

- 9.1 If the Customer defaults in payment of any invoice when due, the Customer shall indemnify the Seller from and against all costs and disbursements incurred by the Seller in pursuing the debt including legal costs on a solicitor and own client basis and the Seller's collection agency costs.
- 9.2 Interest on overdue invoices shall accrue daily from the date when payment becomes due until the date of payment at the interest rate fixed from time to time by the Penalty Interest Rates Act 1983 (Vic) and such interest shall compound monthly.
- 9.3 Without prejudice to any other remedies the Seller may have, if at any time, the Seller may suspend or terminate the supply of Products to the Customer and any of its other obligations under the Terms and
- 9.4 Without prejudice to any other remedies the Seller may have, the Seller may suspend or terminate all or any nart of any order of the Customer which remains unfulfilled in the event that:
 - (a) the Customer is in breach of any obligation (including those relating to payment) under these Terms and Conditions; or
 - the Customer becomes insolvent, convenes a meeting with its creditors or proposes or enters into an arrangement with creditors, or makes an assignment for the benefit of its creditors; or (c) a receiver, manager, liquidator (provisional or otherwise), controlling trustee, trustee in bankruptcy or
- similar person is appointed in respect of the Customer or any asset of the Customer. 9.5 If the Seller suspends or terminates all or any part of a Customer's order pursuant to clause 9.4:
- all amounts owing by the Customer to the Seller shall, whether or not due for payment, become immediately payable; and
- (b) the Seller will not be liable to the Customer for any loss or damage the Customer suffers because the Seller has exercised its rights under that clause.

10. CANCELLATION

- 10.1 The Seller may reject any order for Products and/or cancel delivery of Products at any time before the Products are delivered by giving written notice to the Customer and on giving such notice the Seller shall:
- repay to the Customer any sums paid in respect of the Price and/or GST; and (b) not be liable to the Customer for any loss or damage howsoever arising from such cancellation
- 10.2 In the event that the Customer cancels an order and/or delivery of Products: (a) the Seller may retain any deposit paid by the Customer in respect of the Products; and
 - the Customer shall be liable to the Seller for any additional losses incurred by the Seller as a result of
 - the cancellation (including, but not limited to, delivery costs, storage costs and any loss of profits).

11. LIMITATION OF LIABILITY

- 11.1 The Customer acknowledges that the Products are bought relying solely upon the Customer's skill and
- 11.2 Any advice, recommendations, information, assistance or service provided by the Seller to the Customer in relation to the Products sold or their use or application is provided in good faith and the Seller believes such advice to be appropriate and reliable. Any such advice in relation to any Products sold by the Seller is provided however without liability or responsibility on the part of the Seller
- 11.3 To the extent required under common law and any applicable legislation, the Seller acknowledges that liability may attach in relation to (and be limited solely to) personal injury or property damage arising out of any negligence on behalf of the Seller in provision of the Products.
- 11.4 In the event of any breach of these Terms & Conditions by the Seller, the remedies of the Customer shall be limited to damages which under no circumstances shall exceed the Price of the Products. The Seller shall be under no liability whatever to the Customer for any indirect loss and/or expense (including loss of profit) suffered by the Customer.

- 12.1 In this clause, a reference to the Customer includes a reference to any person(s) and/or entity(s) who agree to quarantee the obligations of the Customer and to assume liability for the Customer's debts on a principal debtor basis.
- 12.2 The Customer agrees that the Seller may obtain from a credit reporting agency a credit report containing personal credit information about the Customer in relation to credit provided by the Seller

12.3 The Customer agrees that the Seller may exchange information about the Customer with those credit providers either named as trade referees by the Customer or named in a consumer credit report issued by a credit reporting agency for the following purposes:

(a) to assess an Application by the Customer; and/or

(b) to notify other credit providers of a default by the Customer; and/or

- to exchange information with other credit providers as to the status of this credit account, where the Customer is in default with other credit providers: and/or
- (d) to assess the credit worthiness of the Customer.
- 12.4 The Customer consents to the Seller being given a consumer credit report to collect overdue payment on commercial credit pursuant to section 18K(1)(h) of the Privacy Act 1988 (Cth)).
- 12.5 The Customer agrees that personal credit information it provides to the Seller may be used and retained by the Seller for the following purposes and for other purposes as shall be agreed with the Seller or required by law from time to time:
- (a) provision of Products; and/or
- marketing of Products by the Seller, its agents or distributors in relation to the Products; and/or
- analysing, verifying and/or checking the Customer's credit, payment and/or status in relation to provision of Products; and/or
- (d) processing of any payment instructions, direct debit facilities and/or credit facilities requested by Customer; and/or
- (e) enabling the daily operation of Customer's account and/or the collection of amounts outstanding in the Customer's account in relation to the Products.
- 12.6 The Seller may give information about the Customer to a credit reporting agency for the following purposes: (a) to obtain a consumer credit report about the Customer; and/or
- (b) allow the credit reporting agency to create or maintain a credit information file containing information about the Customer

13. JOINT AND SEVERAL

Where the Customer consists of more than one person, the Customers shall be jointly and severally liable for the obligations set out in these Terms and Conditions including but not limited to the payment of the Price and all amounts owing to the Seller for the particular Products.

14. CHANGE IN CONTROL

with this clause 14

- 14.1 The Customer shall give the Seller not less than fourteen (14) days prior written notice of any proposed: (a) change of control of the Customer (as defined by section 50AA of the Corporations Act 2001 (Cthl) if the Customer is a body corporate:
- (b) any change in the Customer's company or trading name: or
- any other change in the Customer's address or contact details. 14.2 The Customer shall be liable for any loss incurred by the Seller as a result of the Customer's failure to comply

- 15.1 Nothing in these Terms and Conditions is intended to have the effect of contracting out of any applicable provisions of any state or federal legislation (including but not limited to the Australian Consumer Law), except to the extent permitted by such legislation where applicable
- 15.2 If any provision of these Terms and Conditions shall be invalid, void, illegal or unenforceable the validity, existence, legality and enforceability of the remaining provisions shall not be affected, prejudiced or impaired.

- 6.1 These Terms and Conditions shall be governed by the laws of Victoria.
- 16.2 The Seller and the Customer irrevocably submit to the exclusive jurisdiction of the courts of Victoria.

17. SUB-CONTRACT The Seller may license or sub-contract all or any part of its rights and obligations without the Customer's consent.

beyond its reasonable control.

The Seller shall not be liable for any default of these Terms and Conditions due to any event of force majeure including but not limited to war, terrorism, strike, lock-out, industrial action, fire, flood, drought, storm or other event

The failure by the Seller to enforce any provision of these Terms and Conditions shall not be treated as a waiver of that provision, nor shall it affect the Seller's right to subsequently enforce that provision.

Where these Terms and Conditions are inconsistent with a written quotation, work authorisation or other form provided by the Seller to the Customer, the provisions of that written quotation, work authorisation or other form will prevail to the extent of the inconsistency.


21. WHOI F AGREEMENT


- 21.1 These Terms and Conditions (together with the Application and any written quotation, work authorisation or other form provided by the Seller to the Customer) form the entire agreement between the Seller and the
- 21.2 All conversations, representations and statements not confirmed in writing by the Seller are expressly excluded and shall not be deemed to be part of any quotation, invoice, order, agreement or contract, or to have induced the order of the Products, or to have any legal effect whatsoever.

22.1 These Terms and Conditions supersede all previous terms and conditions of trade of the Seller.

- 22.2mm The Seller reserves the right to review these Terms and Conditions at any time. 22.3 If, following any such review, there is to be any change to these Terms and Conditions, then that change will take effect from the date on which the Seller notifies the Customer of such change.
- 22.4 The Customer's acceptance of any amendments to these Terms and Conditions will be evidenced by the Customer's acknowledgement in writing or by the Customer submitting a further order of Products to the Seller after receiving notification of the amendments without the need for the Customer to provide any other formal notification of its acceptance to Seller.


Project Name:
Date:
Material:
Scale:








Project Name:
Date:
Material:
Scale:







NOTES	

NOTES

NOTES	

Visit

cdkstone.com.au

and subscribe to receive the latest offers and product news.



VIC 03 8552 6000 NSW 02 9822 5155

QLD 07 5537 3222 WA 08 6240 2200

SA 08 8340 2877

EMAIL US info@cdkstone.com.au



NATURAL STONE SINTERED STONE TOOLS + EQUIPMENT **MACHINERY STONE CARE SERVICE**



W www.cdkstone.com.au

Gold Coast

07 5537 3222

26 Wrights Place

Arundel QLD 4214