



NEOLITH[®]
SINTERED STONE

SLAB COLLECTION 2022

PROUDLY BROUGHT TO YOU BY CDK STONE

a new way of thinking about shapes & spaces

Transforming imagination into functionality, Neolith is the premium fashion stone. Imported directly from Europe, Neolith synergises the utmost design principles with functionality, resulting in a scratch, stain and heat-resistant surface. Made to the highest international standards, Neolith is available in a wide range of styles and textures and is suitable for the most demanding applications.

After years of research and innovation, Neolith is a testament to technological development. Consisting of all natural raw materials, compacted under immense pressure, Neolith's technology is unprecedented in the construction industry. As a result, Neolith is the new superior standard in surfaces.

Neolith slabs are available in four thicknesses, 3mm, 6mm, 12mm and 20mm. Neolith is available in over 50 styles with designs that draw inspiration from around the globe. With four finishes available, you can create your own exceptional and unique design.

Aside from its natural beauty, Neolith is 100% eco-friendly using natural materials and technologies that respect the environment. Neolith combines natural materials such as clays, feldspar, silica and mineral oxides with 100% natural pigments to create this unmatched Sintered Stone. Neolith eliminates the need for any resin or polymer which is the basis of other engineered stones.

BENCHTOPS & BATHROOMS

Being scratch, stain and heat-resistant, as well as, easy to clean and impervious to chemical cleaning products, Neolith is ideal for use on kitchen benchtops & bathroom vanities. Adding a touch of elegance to every design, Neolith has a wide range of styles and finishes to suit every home.

FLOORS & WALLS

Neolith's large sizes create a uniformed look across floors and walls. Due to its durability, Neolith is an extremely hard-wearing material that can withstand heavy foot traffic areas and abrasions.

FACADES

Due to its resistance against temperature, atmospheric changes and UV-fading, Neolith is ideal for ventilated facade systems and curtain wall applications. With so many colour combinations and continuous styles, this Sintered Stone creates an impressive facade solution.

SURROUNDS, FEATURES & FURNITURE

Neolith's applications are truly endless, with other common applications including BBQ areas, fireplaces, feature walls, furniture, cabinetry cladding, pool surroundings and more.

COMMERCIAL & RETAIL

Combining durability with beauty, Neolith is perfect for commercial applications such as shop fittings, displays, bars, stairs and large scale floors.

BOOKMATCHING

A range of Neolith styles are also available in a reversed design, meaning a bookmatched design can be achieved. Bookmatching is the practice of matching two stones together so they mirror each other - giving the illusion of an open book. This effect is perfect for continuing Neolith's veining or natural grain.


THE NATURAL CHOICE


Due to its wide range of applications, Neolith is the natural choice. It combines the finest raw materials with the most advanced industrial technology. With styles that pay homage to Natural Stones, Cement, Timbers and other timeless materials, Neolith reverberates a natural beauty.


Neolith is proud to support its Sintered Stone with a 25 Year Warranty. This extended warranty will give you piece-of-mind for all 12mm Sintered Stone styles used in kitchen benchtop applications.





BETON FEATURE WALLS & FLOORING


 **SCRATCH RESISTANT**
Resistant to scratching and abrasion due to the hardness of the surface.


 **RESISTANT TO HIGH TEMPERATURES**
Does not burn in contact with fire or let off smoke or toxic substances.


 **RESISTANT TO UV RAYS**
Does not deteriorate from exposure to the sun or extreme temperatures.


 **EASY TO CLEAN**
Resistant to chemical cleaning agents.


 **WATERPROOF**
An absorption level of near zero makes it resistant to stains.


 **SUITABLE FOR HEAVY TRAFFIC**
Due to the hardness of the surface.

 **RESISTANT TO ICE AND FREEZING**
Neolith is not damaged by low temperatures.


 **HYGIENIC**
Completely suitable for contact with food. Does not release harmful substances.

 **100% RECYCLABLE**
Up to 52% of any Neolith slab is comprised of recycled raw materials.

 **100% NATURAL**
Resin-free. Does not release any harmful substances into the environment.

 **LIGHT**
The 3mm slab is only 7kg/m² and the 12mm slab is 30kg/m².

Now available in four different finishes



SATIN

Neolith's original finish is characterised by its natural matte look and a slightly textured feel.



RIVERWASHED

Neolith's Riverwashed finish is compared to a bush hammered or aged finish and adds a touch of realism to Neolith's range.



SILK

The Silk finish is much softer to the touch. The smooth nature of the surface is achieved through Neolith's Airless Pistol [NAP] technology.



POLISHED

The Polished finish adds shine, depth, and a reflection that stands out through its complete flatness and a touch of elegance.

Neolith Sintered Stone | Size & Thickness

3mm is ideal for use in indoor vertical applications such as kitchen cabinets and drawers, wardrobes, doors, office partitions and refurbishment projects. Being so thin, it can be placed directly on the existing surface without the need to extract, helping to reduce project execution times, costs and waste in landfills. This thickness is also ideal for projects where the weight of the material is a consideration such as within an elevator.

6mm is ideal for use in flooring, walls (both indoors and outdoors), stairs, pool surrounds and exterior facades.

12mm is ideal for kitchen and bathroom benchtops. This size allows for better utilisation of the surface, as well as reduced waste. For instance, one large slab can be utilised for two full average sized benchtops.

20mm is ideal for kitchen benchtops. Inspired by a growing demand among designers and specifiers for thicker kitchen benchtops.


Please speak to your Sales Consultant for available colours, sizes, thicknesses and finishes.

Slabs



3600 x 1200 x 3mm
3600 x 1200 x 6mm
3200 x 1600 x 12mm
3200 x 1600 x 20mm
3200 x 1500 x 6mm
2600 x 1200 x 6mm

Thicknesses



Tiles



Arctic White



Colorfeel Range

NEOLITH
SINTERED STONE



For more information on sizing and availability visit neolith.com.au | cdkstone.com.au

Nero



NEOLITH
SINTERED STONE

Colorfeel Range



For more information on sizing and availability visit neolith.com.au | cdkstone.com.au

Aspen Grey



Fusion Range

NEOLITH
SINTERED STONE

Basalt Black



NEOLITH
SINTERED STONE

Fusion Range

Basalt Grey



Fusion Range

NEOLITH
SINTERED STONE

Beton



NEOLITH
SINTERED STONE

Fusion Range


Cement



Fusion Range

NEOLITH
SINTERED STONE


Krater



NEOLITH
SINTERED STONE

Fusion Range

Mar Del Plata



Fusion Range

NEOLITH
SINTERED STONE

Mirage



Fusion Range

NEOLITH
SINTERED STONE

Nero Zimbabwe



Fusion Range

NEOLITH
SINTERED STONE

Phedra



NEOLITH
SINTERED STONE

Fusion Range


Retrostone



Fusion Range

NEOLITH
SINTERED STONE

Zaha Stone



NEOLITH
SINTERED STONE

Fusion Range

La Boheme B01



Timber Range

NEOLITH
SINTERED STONE

Iron Copper



NEOLITH
SINTERED STONE

Iron Range

Iron Corten



Iron Range

NEOLITH
SINTERED STONE

Iron Frost



NEOLITH
SINTERED STONE

Iron Range

Iron Grey



Iron Range

NEOLITH
SINTERED STONE

Iron Moss



NEOLITH
SINTERED STONE

Iron Range

Calatorao



Classtone Range

NEOLITH
SINTERED STONE


Pulpis



NEOLITH
SINTERED STONE

Classtone Range


Blanco Carrara BC02



Classtone Range

NEOLITH
SINTERED STONE

Blanco Carrara BC02R



NEOLITH
SINTERED STONE

Classtone Range

Estatuario E05



Classtone Range

NEOLITH
SINTERED STONE

Estatuario E05R



NEOLITH
SINTERED STONE

Classtone Range

Blanco Carrara



Bookmatched
BC02 + BC02R



Classtone Range

NEOLITH
SINTERED STONE

Bookmatched
E05 + E05R



Estatuario

Classtone Range

NEOLITH
SINTERED STONE

Calacatta Luxe CL01



Classtone Range

NEOLITH
SINTERED STONE

Calacatta Luxe CL01R



NEOLITH
SINTERED STONE

Classtone Range

Calacatta C01



Classtone Range

NEOLITH
SINTERED STONE

Calacatta C01R



NEOLITH
SINTERED STONE

Classtone Range

Calacatta Gold CG01



Classtone Range

NEOLITH
SINTERED STONE


Calacatta Gold CG01R



NEOLITH
SINTERED STONE

Classtone Range

Calacatta



Bookmatched
C01 + C01R

NEOLITH
SINTERED STONE

Classtone Range

Bookmatched
CL01 + CL01R



Calacatta Luxe

NEOLITH
SINTERED STONE

Classtone Range



For more information on sizing and availability visit neolith.com.au | cdkstone.com.au

For more information on sizing and availability visit neolith.com.au | cdkstone.com.au



Mont Blanc



Classtone Range

NEOLITH
SINTERED STONE



For more information on sizing and availability visit neolith.com.au | cdkstone.com.au

Strata Argentum



NEOLITH
SINTERED STONE

Classtone Range



For more information on sizing and availability visit neolith.com.au | cdkstone.com.au

Kitchen Inspiration





NEOLITH®



Bathroom Inspiration

NEOLITH®



Neolith facades

NEOLITH[®]
SINTERED STONE


NEOLITH FACADES ARE REDEFINING ARCHITECTURE

Transforming imagination into functionality, Neolith Facades are now available. After years of development, Neolith is the superior standard in surfaces.

Neolith Facades have redefined European architecture. Neolith is suited to a range of cladding applications and can be used with multiple cladding systems.



Talk to our Neolith Specialists today to discuss Neolith's certifications and which cladding system best suits your application.

Add a complete and consistent finish to your next project with Neolith Facades.



Produced to the highest international standards, Neolith is certified against the most stringent European and Australian testing for combustibility and flame/smoke resistance.

Arctic White



Being heat, scratch, stain & UV-resistant, Neolith is ideal for use outdoors. Alongside this, Neolith can also withstand extreme weather conditions and is waterproof.


Basalt Black



MAKE A STATEMENT WITH NEOLITH FACADES

Neolith's technology is unprecedented in the construction industry. As a result, Neolith is the new superior standard in surfaces.



Iron Corten



A NEW WAY OF LOOKING AT SHAPES AND SPACES

In Australia, Neolith has been certified by the CSIRO for AS 1530.1 (Combustibility) and AS 1530.3 (Ignitability, Flame Propagation, Heat and Smoke Release). Neolith and CDK Stone have worked with a range of leading cladding systems, so Neolith can be used on the most demanding applications.

Estuario



Neolith Bookmatching


NEOLITH[®]
SINTERED STONE

A REFLECTION OF YOUR IMAGINATION


Neolith has created a reversed style for its Calacatta, Estuario and Blanco Carrara designs - meaning a bookmatched pattern can be achieved.

Bookmatching is the design practice of matching two stones together so they mirror each other - giving the illusion of an open book. This effect is perfect for continuing Neolith's veining or natural grain.

This range can be bookmatched on all four edges of the design.



↑ Estuario E05 + E05R Bookmatched on all edges (6 slabs)




↑ Estuario E05 + E05R Bookmatched on short edge


Blanco Carrara BC02 + BC02R Bookmatched on short edge ↓




↓ Estuario E05 + E05R Bookmatched on long edges (5 slabs)




° CLASSTONE




Blanco Carrara BC02 Calacatta C01




Calacatta Gold CG01 Estuario E05



Calacatta Luxe Calatorao



Mont Blanc Nero Marquina



Pulpis Strata Argentum

Please contact CDK Stone for colours, sizes, thicknesses and finishes as availability may vary.

° COLORFEEL



Arctic White Nieve



Avorio Perla



Luna Bombón




Humo Nero



Nero Zimbabwe Bar


° FUSION




Arena Aspen Grey Barro Basalt Beige



Basalt Black Basalt Grey Beton Cement




Concrete Taupe Krater Lava Mar Del Plata



Mirage Nero Zimbabwe Phedra Pierre Bleue




Pietra di Luna Pietra di Osso Pietra di Piombo Retrostone




Zaha Stone

YOU ARE ONE STEP CLOSER TO CHOOSING YOUR NEOLITH MASTERPIECE


° IRON




Iron Frost Iron Corten



Iron Copper Iron Moss



Iron Grey



Iron Moss Hearth

° TIMBER



La Boheme 01




La Boheme 01 Vanity

NEOLITH[®]

SINTERED STONE

RANGE



Estuario Floor

Calacatta Luxe Feature Wall



Iron Corten & Arctic White Kitchen

NEOLITH[®]

SINTERED STONE



SLAB COLLECTION



NEOLITH IS PROUDLY BROUGHT TO YOU BY CDK STONE

Melbourne
4-6 Freighter Road
Moorabbin VIC 3189
03 8552 6000

Melbourne Showroom
597 Church Street
Richmond VIC 3121
03 8552 6090

Sydney
20 Yulong Close
Moorebank NSW 2170
02 9822 5155

Sydney Showroom
40-42 O'Riordan Street
Alexandria NSW 2015
02 9822 5155

Gold Coast
26 Wrights Place
Arundel QLD 4214
07 5537 3222

Adelaide
22 Richard Street
Hindmarsh SA 5007
08 8340 2877

Perth
231 Camboon Road
Malaga WA 6090
08 6240 2200

W www.cdkstone.com.au

E info@cdkstone.com.au

  [cdkstone](https://www.instagram.com/cdkstone)