according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

 Revision date :
 26.01.2016
 Version :
 1.0.0

 Print date :
 02.02.2016
 Page :
 1 / 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Lithofin MPP

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Mixture Polishes and wax blends acidic

# 1.3 Supplier (manufacturer/importer/only representative/downstream user/distributor)

**Distributor :** CDK Stone Pty Ltd Street : 4-6 Freighter Rd

Postal code/city: AUS-Moorabbin, Victoria 3189

 Telephone :
 +61 3 8552-6000

 Telefax :
 +61 3 8552-6001

 Contact :
 Technical Department

E-mail:

Emergency telephone number:

+61 (0)3 8552-6000

(Only available during office hours)

Supplier: Lithofin AG

 Street :
 Heinrich-Otto-Str. 36

 Postal code/city :
 73240 Wendlingen

 Telephone :
 +49 (0)7024 9403-0

 Telefax :
 +49 (0)7024 9403-40

# 1.4 Emergency telephone number

see section 1.3

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

 $\label{eq:control_control} \mbox{Acute Tox. 4 ; H312 - Acute toxicity (dermal) : Category 4 ; Harmful in contact with skin.}$ 

Acute Tox. 4; H302 - Acute toxicity (oral): Category 4; Harmful if swallowed.

#### **Additional information**

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

#### Remark

Full text of H- and EUH-phrases: see section 16.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms



Exclamation mark (GHS07)

#### Signal word

Warning

# Hazard components for labelling OXALIC ACID; CAS No.: 144-62-7

Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

#### **Precautionary statements**

P102 Keep out of reach of children. P264 Wash ... thoroughly after handling.

# according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

 Revision date :
 26.01.2016
 Version :
 1.0.0

 Print date :
 02.02.2016
 Page :
 2 / 8

P270 Do no eat, drink or smoke when using this product. P280 Wear protective gloves and eye/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.

P501 Dispose of contents and container to appropriate waste site or reclaimer in accordance with

local and national regulations.

#### 2.3 Other hazards

#### Adverse human health effects and symptoms

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

#### 2.4 Additional information

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition / information on ingredients**

#### 3.2 Mixtures

#### Hazardous ingredients

OXALIC ACID ; EC No. : 205-634-3; CAS No. : 144-62-7 Weight fraction :  $\geq$  55 - < 60 %

Classification 1272/2008 [CLP]: Acute Tox. 4; H302 Acute Tox. 4; H312

#### Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation.

Full text of H- and EUH-phrases: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position and seek medical advice. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

#### After eve contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

# Suitable extinguishing media

Water alcohol resistant foam ABC-powder Carbon dioxide (CO2) Water spray

# Unsuitable extinguishing media

Full water jet Strong water jet

# 5.2 Special hazards arising from the substance or mixture

### **Hazardous combustion products**

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

 Revision date :
 26.01.2016
 Version :
 1.0.0

 Print date :
 02.02.2016
 Page :
 3 / 8

Carbon monoxide. Carbon dioxide (CO2)

# 5.3 Advice for firefighters

Use suitable breathing apparatus.

#### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Coordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

#### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

### For cleaning up

Suitable material for taking up: Universal binder

#### Other information

Clear spills immediately.

#### 6.4 Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

## **Protective measures**

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

#### Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

Fire class : A
Shake before use nein

# 7.2 Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

# Hints on joint storage

Storage class (TRGS 510): 12 Protect from frost nein

Recommended storage temperature 5 - 25 °C

### Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

#### 7.3 Specific end use(s)

#### Recommendation

Observe technical data sheet. Observe instructions for use.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

OXALIC ACID; CAS No.: 144-62-7

Limit value type (country of origin): TRGS 900 ( D )

Parameter: E: inhalable fraction

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

 Revision date:
 26.01.2016
 Version:
 1.0.0

 Print date:
 02.02.2016
 Page:
 4/8

 Limit value :
 1 mg/m³

 Peak limitation :
 1(I)

 Remark :
 H

 Version :
 02.04.2014

 Limit value type (country of origin) :
 TWA (EC)

 Limit value :
 1 mg/m³

 Version :
 07.02.2006

#### **DNEL/DMEL and PNEC values**

#### DNEL/DMEL

Limit value type: DNEL Consumer (systemic) ( OXALIC ACID ; CAS No. : 144-62-7 )

Exposure route : Dermal

Exposure frequency : Long-term (repeated)

Limit value : 1,14 mg/kg/d

Limit value type: DNEL worker (systemic) ( OXALIC ACID ; CAS No. : 144-62-7 )

Exposure route : Dermal

Exposure frequency : Long-term (repeated)

Limit value : 2,29 mg/kg/d

Limit value type: DNEL worker (systemic) ( OXALIC ACID ; CAS No. : 144-62-7 )

Exposure route : Inhalation

Exposure frequency: Long-term (repeated)

Limit value: 4,03 mg/m<sup>3</sup>

**PNEC** 

Limit value type : PNEC aquatic, freshwater ( OXALIC ACID ; CAS No. : 144-62-7 )

Limit value: 0,1622 mg/l

Limit value type: PNEC aquatic, intermittent release (OXALIC ACID; CAS No.: 144-62-7)

Limit value: 1,622 mg/l

Limit value type : PNEC aquatic, marine water ( OXALIC ACID ; CAS No. : 144-62-7 )

Limit value: 0,01622 mg/l

Limit value type: PNEC sewage treatment plant (STP) ( OXALIC ACID ; CAS No. : 144-62-7 )

Limit value: 1550 mg/

#### 8.2 Exposure controls

# Personal protection equipment

#### Eye/face protection

# Suitable eye protection

Eye glasses with side protection goggles

#### Required properties

**DIN EN 166** 

#### Skin protection

# Hand protection

Suitable gloves type: Gloves with long cuffs

 $\textbf{Suitable material}: \textbf{NBR (Nitrile rubber)}, \ 0,4 \text{mm,} \ >8 \text{h}; \ \textbf{Butyl caoutchouc}, \ 0,5 \text{mm,} \ >8 \text{h}; \ \textbf{FKM (fluoro rubber)}, \ 0,7 \text{mm,} \ >8 \text{mm,} \ >8 \text{mm}, \ >$ 

>8h;

**Recommended glove articles**: Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Additional hand protection measures: Check leak tightness/impermeability prior to use.

**Remark**: Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### **Body protection**

Protective clothing.

Suitable protective clothing: Chemical protection clothing Chemical resistant safety shoes

Required properties: acid-resistant.

Recommended protective clothing articles: DIN EN ISO 20345 DIN EN 13034 DIN EN 14605 DIN EN 14404

Remark: Barrier creams are not substitutes for body protection.

#### Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

# Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

#### Remark

closed cup

ISO cup 4 mm

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

Revision date : 26.01.2016 Version: 1.0.0 Print date : 02.02.2016 Page: 5/8

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Apply skin care products after work.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance: Powder Colour: white Odour: stinging Safety relevant basis data

Freezing point : (1013 hPa) not applicable Initial boiling point and boiling range (1013 hPa) not applicable Decomposition temperature : (1013 hPa) 110

Flash point: not applicable Ignition temperature: not determined

UN Test L2:Sustained Sustaining combustion combustibility test

Lower explosion limit: not determined

Upper explosion limit : not determined Vapour pressure : (50 ℃) hPa 3000

Density: (20 ℃) ca. 0,8 g/cm<sup>3</sup> Pyknometer

Solvent separation test : (20 ℃) 3 partially miscible Water solubility (20 ℃)

pH: not applicable log P O/W: not determined Flow time: (23 ℃) not applicable

Odour threshold: not determined Vapourisation rate:

not determined **VOC-FR** not applicable

#### Other information

None

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No information available.

#### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# 10.4 Conditions to avoid

No hazardous reaction when handled and stored according to provisions.

## 10.5 Incompatible materials

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Acute effects

Acute oral toxicity

Parameter: LD50 (OXALIC ACID; CAS No.: 144-62-7)

Exposure route: Oral

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

 Revision date :
 26.01.2016
 Version :
 1.0.0

 Print date :
 02.02.2016
 Page :
 6 / 8

Species: Rat Effective dose: 375 mg/kg

Acute dermal toxicity

Parameter: LD50 (OXALIC ACID; CAS No.: 144-62-7)

Exposure route : Dermal
Species : Rabbit
Effective dose : 20000 mg/kg

Specific symptoms in animal studies

No data available

#### Irritant and corrosive effects

#### Assessment/classification

Causes serious eye damage. Causes severe burns.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

No indication of human carcinogenicity.

# Germ cell mutagenicity

#### In vivo mutagenicity

#### Other information

No experimental indications of in vivo mutagenicity exist.

#### Human toxicological data

#### Other information

No indications of human germ cell mutagenicity exist.

#### Reproductive toxicity

#### Practical experience/human evidence

No indications of human reproductive toxicity exist.

# **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

## **Aquatic toxicity**

#### Acute (short-term) fish toxicity

Parameter: LC50 (OXALIC ACID; CAS No.: 144-62-7)

Species: Fish
Effective dose: 160 mg/l
Exposure time: 48 h

# Acute (short-term) daphnia toxicity

Parameter: EC50 ( OXALIC ACID ; CAS No. : 144-62-7 )

Species: Daphnia
Effective dose: 162,2 mg/l
Exposure time: 48 h
Method: OECD 202

# Effects in sewage plants

Observe local regulations concerning effluent treatment. Before discharge into sewage plants the product normally needs to be neutralised.

# 12.2 Persistence and degradability

No data available

## **Biodegradation**

No data available

# 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

 Revision date :
 26.01.2016 Version :
 1.0.0 

 Print date :
 02.02.2016 Page :
 7/8 

#### 12.7 Additional ecotoxicological information

#### **Additional information**

The product has not been tested.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose according to legislation.

## Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

Waste code (91/689/EEC): 06 01 06\*

Waste treatment options

#### Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

#### 13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

# **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous goods in sense of this transport regulation.

#### 14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

## 14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

# 14.4 Packing group

No dangerous goods in sense of this transport regulation.

#### 14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

# 14.6 Special precautions for user

None

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

Observe in addition any national regulations!

# Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

#### Other regulations, restrictions and prohibition regulations

**VOCV-Regulation (CH)** 

Maximum VOC content (Switzerland): < 3 Wt % according to VOCV

#### 15.2 Chemical Safety Assessment

No information available.

## **SECTION 16: Other information**

# 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 15. Technische Anleitung Luft (TA-Luft)

# 16.2 Abbreviations and acronyms

None

# 16.3 Key literature references and sources for data

None

#### (EN/D)

# **Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: Lithofin MPP

 Revision date :
 26.01.2016
 Version :
 1.0.0

 Print date :
 02.02.2016
 Page :
 8 / 8

# Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

No information available.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.
H312 Harmful in contact with skin.

# 16.6 Training advice

None

# 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.