

# SAFETY DATA SHEET

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

Synonyms

# Product name VELOX / BRILLO

BRILLO • GRIT 16 TO 3000 - PRODUCT CODE(S) • VELOX

#### 1.2 Uses and uses advised against

Uses ABRASION TESTING • POLISHING

#### 1.3 Details of the supplier of the product

Supplier name	CDK STONE PTY LTD
Address	4 - 6 Freighter Rd, Moorabbin, VIC, 3189, AUSTRALIA
Telephone	(03) 8552 6000
Fax	(03) 8552 6001
Email	help@cdkstone.com.au
Website	http://www.cdkstone.com.au

#### 1.4 Emergency telephone numbers

Emergency

13 11 26

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### 2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

When tools are not used, they are not considered dangerous. The product is composed of polymerized resin. The danger comes from abrasion operations. The product is used with cooling water. If the tools are used in dry conditions, abrasion dust may be irritating to the skin and respiratory tract in case of lung sensitivity. Coolants carry suspended particles which can be irritating to the skin in case of skin sensitivity.

# 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
SILICON CARBIDE	409-21-2	206-991-8	15%
FORMO-PHENOLIC POLYMERS	-	-	Not Available
CALCITE	-	-	Not Available
POLYMERIC RESIN(S)	-	-	Not Available

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Eye

If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

# ChemAlert.

If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

#### PRODUCT NAME VELOX / BRILLO

- Skin Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
- IngestionFor advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If<br/>swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.First aid facilitiesEye wash facilities and safety shower should be available.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. Dust may form explosive mixtures with air. May evolve carbon oxides when heated to decomposition.

#### 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas. The polypropylene base may ignite or melt at very high temperatures.

#### 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for reuse or disposal. Avoid generating dust.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

No special requirements for the storage of this product, however ensure that product is stored in such a way that dust generation is minimised. Where appropriate store within a sealed container.

#### 7.3 Specific end uses

No information provided.



# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

#### Exposure standards

Ingredient	Reference	TWA		STEL	
ingredient	Reference	ppm	mg/m³	ppm	mg/m³
Silicon carbide (a)	SWA [AUS]		10		
Silicon carbide (fibres/mL, respirable)	SWA [Proposed]		0.1		
Silicon carbide (non-fibrous dust, inhalable)	SWA [Proposed]		10		
Silicon carbide (non-fibrous dust, respirable)	SWA [Proposed]		3		

#### **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended. Wet where possible.

#### PPE

Eye / Face	Wear dust-proof goggles.
Hands	Wear PVC or rubber gloves.
Body	When using large quantities or where heavy contamination is likely, wear coveralls.
Respiratory	Where an inhalation risk exists, wear a Class P1 (Particulate) respirator. At high dust levels, wear an Air-line respirator or a Class P3 (Particulate) respirator.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

normation on baolo phyoioar a	na ononnoar proporti
Appearance	COLOURED SOLID
Odour	SLIGHT ODOUR
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
рН	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Solubility (water)	NOT AVAILABLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

# **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.



## PRODUCT NAME VELOX / BRILLO

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Compatible with most commonly used materials.

#### 10.6 Hazardous decomposition products

May evolve carbon oxides when heated to decomposition.

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute toxicity

This product is expected to be of low toxicity. Based on available data, the classification criteria are not met.

#### Information available for the ingredients:

Ingredient		Oral LD50	Dermal LD50	Inhalation LC50
SILICON CARBIDE		> 2,000 mg/kg (rat)		
Skin	Not classified as a skin irrita skin and mild irritation.	ant. Contact with fine dust	formed in use may result i	n mechanical irritation, dry
Eye	Not classified as an eye irritant. However, dust from grinding, sanding or machining may result in mechanical eye irritation with redness and lacrimation.			
Sensitisation	Not classified as causing skin or respiratory sensitisation.			
Mutagenicity	Not classified as a mutagen.			
Carcinogenicity	Not classified as a carcinogen.			
Reproductive	Not classified as a reproductive toxin.			
STOT - single exposure	Not classified as causing organ damage from single exposure. Over exposure to dust may result in mechanical irritation of the nose and throat, with coughing.			
STOT - repeated exposure	Not classified as causing organ damage from repeated exposure.			
Aspiration	Not classified as causing as	piration.		

# **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No information provided.

#### 12.2 Persistence and degradability

No information provided.

#### 12.3 Bioaccumulative potential

No information provided.

#### 12.4 Mobility in soil

No information provided.

#### 12.5 Other adverse effects

No information provided.

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste disposal

Legislation

Reuse where possible. No special precautions are normally required when handling this product. Dispose of in accordance with relevant local legislation.

# ChemAlert.

## 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant.

14.6 Special precautions for user

Hazchem code None allocated.

#### 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7). Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals) All components are listed on AllC, or are exempt.

# **16. OTHER INFORMATION**

Additional information

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

COMBUSTIBLE - EXPLOSIVE CARBONACEOUS DUST: Carbonaceous/organic dusts have the potential, with dispersion, to present an explosion hazard if an ignition source exists. All equipment used to handle, transfer or store this product MUST BE cleaned thoroughly prior to cutting, welding, drilling or exposure to any other form of heat or ignition sources. If bulk stored, containers should be ventilated on a routine basis to avoid vapour accumulation (where applicable, eg for flocculants).

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



# PRODUCT NAME VELOX / BRILLO

Abbreviations	ACGIH	American Conference of Governmental Industrial Hygienists			
	CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds			
	CNS	Central Nervous System			
	EC No.	EC No - European Community Number			
	EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)			
	GHS	Globally Harmonized System			
	GTEPG	Group Text Emergency Procedure Guide			
	IARC	International Agency for Research on Cancer			
	LC50	Lethal Concentration, 50% / Median Lethal Concentration			
	LD50	Lethal Dose, 50% / Median Lethal Dose			
	mg/m³	Milligrams per Cubic Metre			
	OEL	Occupational Exposure Limit			
	рН	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).			
	ppm	Parts Per Million			
	STEL	Short-Term Exposure Limit			
	STOT-RE	Specific target organ toxicity (repeated exposure)			
	STOT-SE	Specific target organ toxicity (single exposure)			
	SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons			
	SWA	Safe Work Australia			
	TLV	Threshold Limit Value			
	TWA	Time Weighted Average			
Report status	eport status This document has been compiled by RMT on behalf of the manufacturer, i product and serves as their Safety Data Sheet ('SDS').				
	It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.				
	While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.				
Prepared by	Risk Managen 5 Ventnor Ave Western Austr Phone: +61 8 Fax: +61 8 93 Email: info@rr Web: www.rm	ralia 6005 9322 1711 22 1794 mt.com.au			

[End of SDS]

